
Mechanism design augmented with output advice

George Christodoulou
Aristotle University of Thessaloniki
and Archimedes/RC Athena, Greece
gichristo@csd.auth.gr

Alkmini Sgouritsa
Athens University of Economics and Business
and Archimedes/RC Athena, Greece
alkmini@aueb.gr

Ioannis Vlachos
Athens University of Economics and Business
and Archimedes/RC Athena, Greece
ioa.vlachos@aueb.gr

Abstract

Our work revisits the design of mechanisms via the *learning-augmented* framework. In this model, the algorithm is enhanced with imperfect (machine-learned) information concerning the *input*, usually referred to as prediction. The goal is to design algorithms whose performance degrades gently as a function of the prediction error and, in particular, perform well if the prediction is accurate, but also provide a worst-case guarantee under any possible error. This framework has been successfully applied recently to various mechanism design settings, where in most cases the mechanism is provided with a prediction about the *types* of the agents.

We adopt a perspective in which the mechanism is provided with an *output recommendation*. We make no assumptions about the quality of the suggested outcome, and the goal is to use the recommendation to design mechanisms with low approximation guarantees whenever the recommended outcome is reasonable, but at the same time to provide worst-case guarantees whenever the recommendation significantly deviates from the optimal one. We propose a generic, universal measure, which we call *quality of recommendation*, to evaluate mechanisms across various information settings. We demonstrate how this new metric can provide refined analysis in existing results.

This model introduces new challenges, as the mechanism receives limited information comparing to settings that use predictions about the types of the agents. We study, through this lens, several well-studied mechanism design paradigms, devising new mechanisms, but also providing refined analysis for existing ones, using as a metric the quality of recommendation. We complement our positive results, by exploring the limitations of known classes of strategyproof mechanisms that can be devised using output recommendation.

1 Introduction

Motivated by the occasionally overly pessimistic perspective of worst-case analysis, a recent trend has emerged focusing on the design and analysis of algorithms within the so-called *learning-augmented framework* (refer to [30] for an overview). Within this framework, algorithms are enhanced with imperfect information about the input, usually referred to as *predictions*. These predictions can stem from machine learning models, often characterized by high accuracy, leading to exceptional performance. However, their accuracy is not guaranteed, so the predicted input may differ significantly from the actual input. Blindly relying on these predictions can have significant consequences compared to employing a worst-case analysis approach.

The framework aims to integrate the advantages of both approaches. The goal is to use these predictions to design algorithms whose performance degrades gently as a function of the inaccuracy of the prediction, known as the prediction error. In particular, they should perform well whenever the prediction is accurate—a property known as *consistency*—and also provide a worst-case guarantee under any possible error—a property known as *robustness*.

Xu and Lu [39] and Agrawal et al. [2] applied the learning-augmented framework in mechanism design settings, where there is incomplete information regarding the preferences (or types) of the participants over a set of alternatives. Traditional mechanism design addresses this information gap by devising strategyproof mechanisms that offer appropriate incentives for agents to report their true types. In the learning-augmented model, it is generally assumed that the mechanism is equipped with predictions about the types of the agents. The aim is to leverage these predicted types to design strategyproof mechanisms that provide consistency and robustness guarantees. Since then, this model has found application in diverse mechanism design settings [8, 11, 27, 25].

Mechanisms with output advice In this work, we propose an alternative perspective on mechanism design with predictions. We assume that the mechanism is provided with external advice to *output a specific outcome*, rather than being provided with predictions of the agents’ types. For example, in a job scheduling problem, the designer may receive a recommended partition of tasks for the machines, rather than a prediction about the machines’ processing times. Similarly, in an auction setting, an allocation of goods is provided, rather than a prediction about the agents’ valuations.

Following the tradition of the learning-augmented framework, we make no assumptions about the quality of the recommended outcome, which may or may not be a good fit for the specific (unknown) input. The goal is to use the recommendation to design a strategyproof mechanism with good approximation guarantees whenever the recommended outcome is a good fit, but at the same time provide worst-case guarantees whenever the recommendation deviates from the optimal one.

We observe that one can reinterpret previous models within the framework of our model, viewing it as a more constrained version of predictions with *limited information*.¹ Since we only require limited information regarding the outcome, our model may be better suited to handle cases where historical input data is absent or limited, which may occur for various reasons such as privacy concerns, data protection, challenges in anonymizing, or simply because the information is missing. For instance, historical data in an auction may sometimes only contain information about the winners and perhaps the prices, omitting details about their exact valuation or the values of those who lost. Additionally, our model may be applied in cases where the designer does not need to know the specifics of the algorithm and treats it as a black box, as long as it yields satisfactory allocations, even if the inner workings are not fully understood.

We make no assumption about *how* the outcome recommendation was produced, which makes it quite general and adaptable to different application domains. For instance, the outcome may represent the optimal allocation with respect to predicted data (as seen in [2]), or a solution generated by an approximation algorithm or a heuristic. Consequently, the quality of the recommended outcome may be affected by various factors, such as the accuracy of the predicted data or limited computational resources which prevent the computation of optimal solutions, even when the data is accurate.

A beneficial side effect of our model is that an outcome recommendation fits in a plug-and-play fashion with a generic machinery for strategyproofness in multi-dimensional mechanism design, particularly maximal in range VCG mechanisms (or more generally with affine maximizers) in a straightforward manner: we simply add the recommended outcome to the range of the affine maximizer (see Section 5).

Quality of recommendation In the learning augmented framework, the performance of an algorithm (or mechanism) is evaluated based on the *prediction error*, which quantifies the disparity between the predicted and actual data. Unfortunately, there is no universal definition for such an error; it is typically domain-specific (e.g., the ratio of processing times for scheduling [27, 8] or (normalized) geometric distance for facility location [2]). Therefore, if one modifies the information data model for a specific problem—for instance, by assuming that only a fraction or a signal of the predicted data is provided—it becomes necessary to redefine the prediction error.

¹For example, in [2], it is assumed that the mechanism is provided with the optimal allocation with respect to the predicted types. Refer to the discussion in Section 3 for a comparison and differences with their model.

To address this issue, we propose a generic, universal measure that can be applied to analyze algorithms across various information settings and application domains. We define the *quality of recommendation* as the approximation ratio between the cost (or welfare) of the recommended outcome and the optimal cost (or welfare) both evaluated w.r.t the actual input. It is worth emphasizing that although the above definition aligns naturally with our information model, as we do not assume the designer is provided with predicted data, it can also be applied to richer information models with partial or even full predicted input.

We argue that it provides a unified metric for settings involving predictions, particularly when the objective is to design mechanisms (or more generally algorithms) with low approximation or competitive ratio. The disparity between predicted and actual data, captured by the predicted error, may not always be relevant and can lead to misleading evaluations; there are cases where this error may be significantly large, but the optimal solution remains largely unchanged. For example, consider the problem of makespan minimization in job scheduling (see also Section 3 for a detailed example in facility location). In [27, 8], the prediction error used is the maximum ratio of processing times, and it appears in the approximation guarantees. There are simple instances where this ratio is arbitrarily large, but the optimal allocation remains the same. Consequently, when the prediction error is incorporated into the analysis, it may lead to overly pessimistic guarantees for mechanisms that perform much better (see Section 3). Our metric avoids such pathological situations.

1.1 Contributions

We propose studying mechanisms augmented with output advice, a setup that utilizes limited information to provide improved approximation guarantees. Additionally, we introduce a unified metric that can provide more accurate evaluations, even for settings with richer information models. We explore the limitations of the class of strategyproof mechanisms that can be devised using this limited information across various mechanism design settings. Detailed results concerning the house allocation problem can be found in the full version of the paper. Table 1 summarizes our results.

Facility Location In the facility location problem, there are n agents each with a preferred location and the goal is to design a strategyproof mechanism that determines the optimal facility location based on an objective. In Section 3, we derive new approximation bounds for the facility location problem revisiting the Minimum Bounding Box and the Coordinatewise Median mechanisms defined in [2], as a function of the quality of recommendation. We provide tight bounds, and demonstrate that in some cases they outperform previous analysis with the use of a prediction error.

Scheduling In Section 4, we study a scheduling problem with unrelated machines, where each machine has a cost for each job, which corresponds to the processing time of the job on the machine. Each job is assigned to exactly one machine, and the goal is to minimize the makespan having an output allocation as a recommendation. We devise a new strategyproof mechanism (Mechanism 1), that takes also as input a confidence parameter $\beta \in [1, n]$, reflecting the level of trust in the recommendation. We show that this mechanism is $(\beta + 1)$ -consistent and $\frac{n^2}{\beta}$ -robust (Theorem 3).

Altogether, we obtain a $\min\{(\beta + 1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$ upper bound on the approximation ratio, where $\hat{\rho}$ is the quality of the recommendation, that we show that is asymptotically tight (Theorem 4). We complement this positive result, by showing that, given only the outcome as advice, it is impossible to achieve a better consistency-robustness trade-off in the class of the weighted VCG mechanisms (Theorem 5).

Combinatorial Auctions Next, we study combinatorial auctions given a recommended allocation (see Section 5). In the combinatorial auctions setting, there is a set of m indivisible objects to be sold to n bidders, who have private values for each possible bundle of items. We observe that our advice model fits nicely with the maximal in range VCG mechanisms or more generally with the affine maximizers, by preserving strategyproofness. These mechanisms provide the best known bounds for the approximation of the maximum social welfare for several classes of valuations [19, 17, 24]. By including the recommended outcome in the range of the affine maximizer, we immediately obtain 1-consistency, while maintaining the robustness guarantees of those mechanisms.

House Allocation Finally, we switch to the house allocation problem. In this problem, we aim to assign n houses to a set of n agents in a way that ensures strategyproofness and maximizes the social welfare. We use the TTC mechanism [35] with the recommendation as an initial endowment, and prove that this is $\min\{\hat{\rho}, n\}$ -approximate for unit-range valuations and $\min\{\hat{\rho}, n^2\}$ -approximate

Table 1: Contribution Results. Consistency, robustness and approximation results proved for the mechanism design problems augmented with *output* advice. In the house allocation problem, bounds are shown for unit-range valuations, while the ones in parentheses are for unit-sum valuations. In combinatorial auctions, ρ_M is the approximation ratio guarantee of a maximal in range mechanism.

Problem	Cons	Rob	$f(t, \hat{\rho})$ -approximation
Facility Location (egalitarian)	1 [2]	$1+\sqrt{2}$ [2]	$\min\{\hat{\rho}, 1 + \sqrt{2}\}$
Facility Location (utilitarian)	$\frac{\sqrt{2\lambda^2+2}}{1+\lambda}$ [2]	$\frac{\sqrt{2\lambda^2+2}}{1-\lambda}$ [2]	$\min\{\sqrt{2}\hat{\rho}, \hat{\rho} + \sqrt{2}, \frac{\sqrt{2\lambda^2+2}}{1-\lambda}\}$
Scheduling	$\beta + 1$	$\frac{n^2}{\beta}$	$\min\{(\beta + 1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$
Combinatorial Auctions	1	ρ_M	$\min\{\hat{\rho}, \rho_M\}$
House Allocation	1	n (or n^2)	$\min\{\hat{\rho}, n$ (or n^2)

for unit-sum valuations, where $\hat{\rho}$ is the quality of recommendation. Finally, we prove it is optimal among strategyproof, neutral and nonbossy mechanisms using the characterization of [38] and the correspondence between serial dictator mechanisms and TTC mechanisms [1].

1.2 Related Work

Learning-augmented mechanism design Recently, there has been increased interest in leveraging predictions to improve algorithms' worst case guarantees. The influential framework of Lykouris and Vassilvitskii [28] is applied on caching, formally introducing the notions of consistency and robustness, under minimal assumptions on the machine learned oracle. The learning-augmented framework is naturally brought to the algorithmic mechanism design field by [2] and [39] independently. Agrawal et al. [2] design learning-augmented strategyproof mechanisms for the problem of facility location with strategic agents. Xu and Lu [39] apply the algorithmic design with predictions framework on revenue-maximizing single-item auctions, frugal path auctions, scheduling, and two-facility location. Another version of the facility location problem, obnoxious facility location, is studied by Istrate and Bonchis [25]. Prasad et al. [31] develop a new methodology for multidimensional mechanism design that uses side information with the dual objective of generating high social welfare and high revenue. Strategyproof scheduling of unrelated machines is studied in [8], achieving the best of both worlds using the learning-augmented framework. Revenue maximization is also considered in [9] in the online setting, while Lu et al. [27] study competitive auctions with predictions. Caragiannis and Kalantzis [11] assume that the agent valuations belong to a known interval and study single-item auctions with the objective of extracting a large fraction of the highest agent valuation as revenue. Other settings enhanced with predictions include the work of Gkatzelis et al. [22], where predictions are applied to network games and the design of decentralized mechanisms in strategic settings. In [10], the scenario includes a set of candidates and a set of voters, and the objective is to choose a candidate with minimum social cost, given some prediction of the optimal candidate.

Facility Location For single facility location on the line, the mechanism that places the facility on the median over all the reported points is strategyproof and optimal for the utilitarian objective, and it achieves a 2-approximation for the egalitarian social cost, which is the best approximation achievable by any deterministic and strategyproof mechanism [32]. In the two-dimensional Euclidean space, the Coordinatewise Median mechanism achieves a $\sqrt{2}$ -approximation for the utilitarian objective [29], and a 2-approximation for the egalitarian objective [23]; these approximation bounds are both optimal among deterministic and strategyproof mechanisms. In [2], they consider as a prediction the position of the facility to improve the above results. Concerning the egalitarian social cost and the two-dimensional version of the problem, they achieve perfect consistency, and a robustness of $1 + \sqrt{2}$. They also prove that their mechanism provides an optimal trade-off between robustness and consistency. Regarding the utilitarian social cost in two dimensions, they propose a deterministic mechanism achieving $\frac{\sqrt{2\lambda^2+2}}{1+\lambda}$ -consistency, $\frac{\sqrt{2\lambda^2+2}}{1-\lambda}$ -robustness and optimal trade-off among deterministic, anonymous, and strategyproof mechanisms.

Scheduling Christodoulou et al. [15] validated the conjecture of Nisan and Ronen, and proved that the best approximation ratio of deterministic strategyproof mechanisms for makespan minimization for n unrelated machines is n . Even if we allow randomization, the best known approximation guarantee achievable by a randomized strategyproof mechanism is $O(n)$ [13]. Following the prediction framework, Xu and Lu [39] study the problem with predictions \hat{t}_{ij} denoting the predicted

processing time of job j by machine i . They propose a deterministic strategyproof mechanism with an approximation ratio of $O(\min\{\gamma\eta^2, \frac{m^3}{\gamma^2}\})$, where $\gamma \in [1, m]$ is a configurable consistency parameter and $\eta \geq 1$ is the prediction error. Balkanski et al. [8] extend these results by identifying a deterministic strategyproof mechanism that guarantees a constant consistency with a robustness of $2n$, achieving the best of both worlds.

Combinatorial Auctions An important direction in combinatorial auctions related to our work is the design of strategyproof mechanisms that approximate the optimal social welfare using polynomially many queries, see e.g. [17, 24, 19, 18]. Auctions incorporating predictions have been explored across various settings such as revenue maximization auctions [11, 39], competitive auctions [27] and the online setting [9]. It is noteworthy that the design of strategyproof, near-optimal auctions using neural networks [20, 36] has been studied extensively for automated mechanism design.

House Allocation Regarding the house allocation problem, Filos-Ratsikas et al. [21] prove that a randomized mechanism, called the Random Priority Mechanism, has approximation ratio of $\Theta(\sqrt{n})$, and that this is optimal among all strategyproof mechanisms. There exist lower bounds for all deterministic strategyproof mechanisms which are $\Omega(n^2)$ for unit-sum and $\Omega(n)$ for unit-range, respectively. To the best of our knowledge there is no single point of reference, for these bounds, but can follow from known results in the literature, after observing that deterministic strategyproof mechanisms are ordinal, see [14, 4]. A lower bound of $\Omega(n^2)$ on the *Price of Anarchy* for any deterministic mechanism (not necessarily strategyproof) is proved in [14]. In [4], a $\Theta(n^2)$ bound is proved for the distortion of all *ordinal* deterministic mechanisms.

2 Model

We consider various mechanism design scenarios that fall into the following abstract mechanism design setting. There is a set of n agents and a (possibly infinite) set of alternatives \mathcal{A} . Each agent $i \in \{1, \dots, n\}$ can express their preference over the set of alternatives via a valuation function t_i which is private information known only to them (also called the *type* of agent i). The set \mathcal{T}_i of possible types of agent i consists of all functions $b_i : \mathcal{A} \rightarrow \mathbb{R}$. Let also $\mathcal{T} = \times_{i \in N} \mathcal{T}_i$ denote the space of type profiles.

A mechanism defines for each agent i a set \mathcal{B}_i of available strategies the agent can choose from. We consider *direct revelation* mechanisms, i.e., $\mathcal{B}_i = \mathcal{T}_i$ for all i , meaning that the agents' strategies are to simply report their types to the mechanism. Each agent i provides a *bid* $b_i \in \mathcal{T}_i$, which may not match their true type t_i , if this serves their interests. A mechanism (f, p) consists of two parts:

A selection algorithm: The selection algorithm f selects an alternative based on the agents' inputs (bid vector) $b = (b_1, \dots, b_n)$. We denote by $f(\mathbf{b})$ the alternative chosen for the bid vector $\mathbf{b} = (b_1, \dots, b_n)$.

A payment scheme: The payment scheme $p = (p_1, \dots, p_n)$ determines the payments, which also depend on the bid vector \mathbf{b} . The functions p_1, \dots, p_n represent the payments that the mechanism hands to each agent, i.e., $p_i : \mathcal{T} \rightarrow \mathbb{R}$.

The *utility* u_i of an agent i is the *actual* value they gain from the chosen alternative minus the payment they have to pay, $u_i(\mathbf{b}) = t_i(f(\mathbf{b})) - p_i(\mathbf{b})$. We consider *strategyproof* mechanisms. A mechanism is strategyproof, if for every agent, reporting their true type is a *dominant strategy*. Formally,

$$u_i(t_i, \mathbf{b}_{-i}) \geq u_i(t'_i, \mathbf{b}_{-i}), \quad \forall i \in [n], \quad t_i, t'_i \in \mathcal{T}_i, \quad \mathbf{b}_{-i} \in \mathcal{T}_{-i},$$

where \mathcal{T}_{-i} denotes all parts of \mathcal{T} except its i -th part.

In some of our applications (e.g. facility location and scheduling settings), it is more natural to consider that the agents are cost-minimizers rather than utility-maximizers. Therefore, for convenience we will assume that each agent i aims to minimize a cost function rather than maximizing a utility function. We stress that some of our applications (e.g. facility location, one-sided matching) fall into mechanism design without money, In those cases we will assume $p_i(\mathbf{t}) = 0, \forall \mathbf{t}$ and $i \in [n]$.

Social objective We assume that there is an underlying objective function that needs to be optimized. We consider both *cost minimization* social objectives (facility location in Section 3, scheduling in Section 4) and *welfare maximization* (house allocation in Section ??, auctions in Section 5). In the context of a cost minimization problem, we assume that we are given a social cost function

$C : \mathcal{T} \times \mathcal{A} \rightarrow \mathbb{R}_+$. If all agents' types were known, then the goal would be to select the outcome a that minimizes $C(\mathbf{t}, a)$.

The quality of a mechanism for a given type vector \mathbf{t} is measured by the cost $\text{MECH}(\mathbf{t})$ achieved by its selection algorithm f , $\text{MECH}(\mathbf{t}) = C(\mathbf{t}, f(\mathbf{t}))$, which is compared to the optimal cost $\text{OPT}(\mathbf{t}) = \min_{a \in \mathcal{A}} C(\mathbf{t}, a)$. We denote an optimal alternative for a given bid vector \mathbf{t} by a^* .

In most application domains, it is well known that only a subset of algorithms can be selection algorithms of strategyproof mechanisms. In particular, no mechanism's selection algorithm is optimal for every t , prompting a natural focus on the approximation ratio of the mechanism's selection algorithm. A mechanism is ρ -approximate, for some $\rho \geq 1$, if its selection algorithm is ρ -approximate, that is, if $\rho \geq \frac{\text{MECH}(\mathbf{t})}{\text{OPT}(\mathbf{t})}$ for all possible inputs \mathbf{t} .

Mechanisms with advice We assume that in addition to the input bid \mathbf{b} , the mechanism is also given as a recommendation/advice, a predicted alternative $\hat{a} \in \mathcal{A}$, but without any guarantee of its quality². A natural requirement, known as *consistency*, requires that whenever the recommendation is accurate, then the mechanism should achieve low approximation. A mechanism is said to be β -consistent if it is β -approximate when the prediction is accurate, that is, the predicted outcome \hat{a} is optimal for the given \mathbf{t} vector. On the other hand, if the prediction is poor, *robustness* requires that the mechanism retains some reasonable worst-case guarantee. A mechanism is said to be γ -robust if it is γ -approximate for all predictions:

$$\max_{\mathbf{t}} \frac{\text{MECH}(\mathbf{t}, a^*)}{\text{OPT}(\mathbf{t})} \leq \beta; \quad \max_{\mathbf{t}, \hat{a}} \frac{\text{MECH}(\mathbf{t}, \hat{a})}{\text{OPT}(\mathbf{t})} \leq \gamma.$$

In order to measure the quality of the prediction, we define the *recommendation error*, denoted by $\hat{\rho}$, as the approximation ratio of the recommended outcome cost to the optimal one i.e., $\hat{\rho} = \frac{C(\mathbf{t}, \hat{a})}{\text{OPT}(\mathbf{t})}$.

In some of our applications, the social objective is a welfare maximization problem, where there is an underlying welfare function $W : \mathcal{T} \times \mathcal{A} \rightarrow \mathbb{R}_+$ that needs to be maximized. We adapt our definitions for approximation and for the prediction error accordingly. In particular, the quality of a mechanism for a given type vector \mathbf{t} is measured by the welfare $\text{MECH}(\mathbf{t}, \hat{a}) = W(\mathbf{t}, f(\mathbf{t}, \hat{a}))$, which is compared to the optimal welfare $\text{OPT}(\mathbf{t}) = \max_{a \in \mathcal{A}} W(\mathbf{t}, a)$. A mechanism is ρ -approximate, if $\rho \geq \frac{\text{OPT}(\mathbf{t})}{\text{MECH}(\mathbf{t})}$ for all possible inputs \mathbf{t} . Consistency and robustness are defined similarly to the cost minimization version, while the recommendation error is defined as the approximation ratio $\hat{\rho} = \frac{\text{OPT}(\mathbf{t})}{W(\mathbf{t}, \hat{a})}$. Note that for both versions, the quality of recommendation $\hat{\rho}$ exceeds 1, with 1 indicating perfect quality and higher values indicating poorer quality. Additionally, we require a smooth decay of the approximation ratio as a function of the quality of the recommendation as it moves from being perfect to being arbitrarily bad. We say that an algorithm is *smooth* if its approximation ratio degrades at a rate that is at most linear in $\hat{\rho}$ [5, 6, 33].

3 Facility Location

In this section, we study mechanisms for the facility location problem in the two-dimensional Euclidean space. There are n agents each with a preferred (private) location $z_i = (x_i, y_i)$, $1 \leq i \leq n$ in \mathbb{R}^2 . The goal of the mechanism is to aggregate the preferences of the agents and determine the optimal facility location at a point $f(\mathbf{t})$ in \mathbb{R}^2 . Given a facility at point $a \in \mathbb{R}^2$, the private cost $t_i(a)$ of each agent is measured by the distance of z_i from a , i.e., $t_i(a) = d(z_i, a)$, and the private objective of each agent is to minimize their cost. Two different social cost functions have been used to evaluate the quality of a location a [2]; the *egalitarian cost*, which measures the maximum cost incurred by a among all agents $C(\mathbf{t}, a) = \max_i t_i(a)$, and the *utilitarian cost*, which considers the sum of the individual costs i.e., $C(\mathbf{t}, a) = \sum_i t_i(a)$.

We assume that the mechanism is equipped with a recommended point $\hat{a} \in \mathbb{R}^2$. This is perceived as a recommendation to place the facility at \hat{a} . For a given \mathbf{t} we denote by $a^*(\mathbf{t})$ the optimal location minimizing the social cost, and by $\hat{\rho}(\mathbf{t})$ the quality of the recommended outcome, which is defined as

²We adapt the notation accordingly to incorporate the recommendation \hat{a} , e.g. the selected alternative is now denoted by $f(\mathbf{t}, \hat{a})$, and the cost of the mechanism by $\text{MECH}(\mathbf{t}, \hat{a})$ etc.

the approximation ratio $C(\mathbf{t}, \hat{a})/\text{OPT}(\mathbf{t})$ and measures the approximation that would be achieved by placing the facility at \hat{a} . We use the simpler notation a^* and $\hat{\rho}$ when \mathbf{t} is clear from the context.

We note that for this problem our model coincides with the model studied in [2] for facility location problems, although our perspective is slightly different. Their paper considers that the missing information is the type of the agents, and they assume that they receive a *signal of the predicted input* \hat{a} , the optimal location w.r.t. the predicted types. Due to this perspective, they defined as *prediction error* the (normalized) distance of their prediction, comparing to the optimal solution w.r.t. the actual types. We perceive \hat{a} as an output advice. Clearly, one can interpret the output as a signal of some sort of predicted data. However, we treat the advice as a recommendation, with unknown quality, and under this perspective in the context of this paper, it makes more sense to measure it by the approximation ratio w.r.t. the actual (but unknown) input.

We showcase this effect in the following example of the facility location problem in the line for the utilitarian social cost, and we further discuss it in Section 3.3. Consider $2m - 1$ agents, see Figure 1, whose preferred locations are clustered in two different points, the one at position $(0, 0)$ and the other at position $(1, 0)$, where the first point is preferred by m agents and the other is preferred by $m - 1$ agents. The solution a^* that minimizes the social cost places the facility at point $(0, 0)$ (preferred by m agents) resulting in a total cost of $\text{OPT}(\mathbf{t}) = m - 1$. Now, take two different recommendations \hat{a}_1 and \hat{a}_2 at points $(-1, 0)$ and $(1, 0)$ respectively. The prediction error is the same for both points and it is equal to $\frac{1}{m-1}$. However, any recommendation between a^* and \hat{a}_2 is almost optimal for large m , in contrast to \hat{a}_1 . The quality of the recommendation captures this difference: the social cost for the two recommendations are $C(\hat{a}_1) = 3m - 2$ and $C(\hat{a}_2) = m$, and therefore the quality of the recommendation for \hat{a}_1 and \hat{a}_2 are respectively $\hat{\rho}_1 = \frac{3m-2}{m-1}$ and $\hat{\rho}_2 = \frac{m}{m-1}$, which converge to 3 and 1 respectively as m grows.




Figure 1: Quality of recommendation versus prediction error

In Section 3.1, we study the egalitarian cost and show that the Minimum Bounding Box Mechanism, defined by Agrawal et al. [2], achieves an approximation ratio of $\hat{\rho}$, which combined with the robustness bound of [2] gives an overall approximation guarantee of $\min\{\hat{\rho}, \sqrt{2} + 1\}$. In Section 3.2 we focus on the utilitarian cost and show that the Coordinatewise Median Mechanism with predictions, defined in [2], achieves an approximation ratio of at most $\sqrt{2}\hat{\rho}$ which combined with the robustness bound of [2] gives an overall approximation guarantee of $\min\{\sqrt{2}\hat{\rho}, \frac{\sqrt{2\lambda^2+2}}{1-\lambda}\}$, where $\lambda \in [0, 1)$ is a parameter that models the confidence of the designer on the recommendation; larger values of λ , correspond to increased confidence about the advice. Finally, in Section 3.3 we compare the bounds obtained as a function of $\hat{\rho}$ to previously known results obtained as a function of the prediction error.

3.1 Egalitarian Cost

The main result of this section is an approximation ratio of $\hat{\rho}$ for the egalitarian cost, by analyzing the Minimum Bounding Box mechanism defined in [2]. The robustness result for this mechanism [2], gives a total approximation ratio of $\min\{\hat{\rho}, \sqrt{2} + 1\}$, which we prove that is tight in the full version.

Intuitively, the Minimum Bounding Box mechanism works as follows³: If the minimum rectangle that contains all the input points $z_i, i \in \{1, \dots, n\}$, contains the recommendation point \hat{a} , then we output \hat{a} . Otherwise, we select the boundary point with the minimum distance from \hat{a} .

Theorem 1. *The Minimum Bounding Box mechanism is $\min\{\hat{\rho}, \sqrt{2} + 1\}$ -approximate.*

Proof.

$$\text{MECH}(\mathbf{t}, \hat{a}) = \max_i d(z_i, f(\mathbf{t}, \hat{a})) \leq C(\mathbf{t}, \hat{a}) = \hat{\rho}\text{OPT}(\mathbf{t})$$

The inequality holds because, whenever the prediction is outside the minimum bounding box, the mechanism projects the prediction on its boundaries, in a way that improves the egalitarian loss compared to the initial prediction. When the prediction is inside the bounding box, then $f(\mathbf{t}, \hat{a}) = \hat{a}$

and the inequality holds with equality. The term $(\sqrt{2} + 1)$ follows from the robustness guarantee proved in [2]. By selecting the minimum of the two bounds, we get the approximation above. \square

Remark 1. *We remark that when $f(\mathbf{t}, \hat{a}) = \hat{a}$, the upper bound of $\hat{\rho}$ is tight. In practice, this happens whenever the recommendation is inside the minimum bounding box defined by the agents' locations.*

3.2 Utilitarian Cost

Next, we show a $\sqrt{2}\hat{\rho}$ upper bound for the utilitarian cost by using the Coordinatewise Median with predictions mechanism defined in [2]. This mechanism specifies a parameter $\lambda \in [0, 1)$ which models how much the recommendation is trusted. Intuitively,³ the mechanism works as follows; it creates $\lfloor \lambda n \rfloor$ copies of the recommendation $\hat{a} = (x_{\hat{a}}, y_{\hat{a}})$. Then, by treating each coordinate separately, it selects the median point among $n + \lfloor \lambda n \rfloor$ in total points; the n actual bids $z_i = (x_i, y_i)$ and the $\lfloor \lambda n \rfloor$ copies of the recommendation. After calculating the medians x_a and y_a for each coordinate, it defines the outcome to be $f(\mathbf{t}, \hat{a}) = (x_a, y_a)$. In the full version of the paper, we show that our analysis is tight.

Theorem 2. *The Coordinatewise Median with Predictions mechanism is $\min\{\sqrt{2}\hat{\rho}, \hat{\rho} + \sqrt{2}, \frac{\sqrt{2\lambda^2+2}}{1-\lambda}\}$ -approximate.*

3.3 Comparison of Error Functions

In this section, we compare the quality of recommendation $\hat{\rho}$ to the error η defined in [2] and find instances for which our bounds are tight while previous known bounds are not. We first establish that $\hat{\rho} \leq \eta + 1$ holds for both the egalitarian and the utilitarian objective. We then show that for both objectives, there exist instances that our bounds are strictly better than the ones proved in [2].

Lemma 1. *For the egalitarian social cost, there exists an instance where $\hat{\rho} < \eta + 1$.*

Lemma 2. *For the utilitarian social cost, there exists an instance where $\sqrt{2}\hat{\rho} < \frac{\sqrt{2\lambda^2+2}}{1+\lambda} + \eta$*

We give all the proofs in the full version of the paper. Note that for the egalitarian objective, our bound is a refinement of the (tight) bound $\eta + 1$ from [2]. On the other hand, for the utilitarian objective, there exist instances for which the $\frac{\sqrt{2\lambda^2+2}}{1+\lambda} + \eta$ bound of [2] is better than ours. For this reason, in the full version of the paper we observe the behaviour of $\hat{\rho}, \eta$ in real-world datasets [26, 7, 37, 12, 16, 3].

4 Scheduling

In this section, we study strategyproof mechanisms for the *makespan minimization scheduling problem*. In this problem, we have a set N of n unrelated machines (the agents) and a set M of m jobs. Each machine i has a (private) cost t_{ij} for each job j , which corresponds to the processing time of job j in machine i . Since we consider only strategyproof mechanisms, each machine i declares their *true* cost t_{ij} for each job j ; let $t_i = (t_{i1}, \dots, t_{im})$. The goal of the mechanism is to process the machines' declarations $\mathbf{t} = (t_1, \dots, t_n)$ and subsequently determine both an allocation $a(\mathbf{t})$ of the jobs to the machines and a payment scheme $p(\mathbf{t}) = (p_1(\mathbf{t}), \dots, p_n(\mathbf{t}))$, where $p_i(\mathbf{t})$ is given to each machine i for processing their allocated jobs. An allocation is given by a vector $a = (a_1, \dots, a_n)$, where $a_i = (a_{i1}, \dots, a_{im})$, and a_{ij} is set to 1 if job j is assigned to machine i and 0 otherwise. An allocation a is feasible if each job is allocated to exactly one machine, i.e., $\sum_{i \in N} a_{ij} = 1$, for all $j \in M$, and $\sum_{i \in N, j \in M} a_{ij} = m$; we denote by \mathcal{A} the set of all feasible allocations.

The cost experienced by each machine i under an allocation a is the total cost of all jobs assigned to it: $t_i(a) = t_i(a_i) = \sum_{j \in M} t_{ij} a_{ij} = t_i \cdot a_i$. The private objective of each machine i is to maximize their utility $u_i(\mathbf{t}) = p_i(\mathbf{t}) - t_i(a(\mathbf{t}))$. In the strategyproof mechanisms that we consider here, this happens when each machine declares its true cost. The social cost function that is usually used in this problem in order to evaluate the quality of an allocation a , is the maximum cost among all machines, which is known as the makespan: $C(\mathbf{t}, a) = \max_i t_i(a)$.

³For completeness we include the definition of the mechanism in the full version. We further refer the reader to [2] for the exact definition and for the proof of strategyproofness and robustness.

We assume that the mechanism is provided with a recommendation $\hat{a} \in \mathcal{A}$, which can be seen as a suggestion on how to allocate the jobs to the machines. For a given \mathbf{t} we denote by $a^*(\mathbf{t})$ the optimal allocation minimizing the social cost function, i.e., $a^*(\mathbf{t}) \in \arg \min_{a \in \mathcal{A}} C(\mathbf{t}, a)$, and by $\text{OPT}(\mathbf{t})$ the minimum social cost, i.e., $\text{OPT}(\mathbf{t}) = C(\mathbf{t}, a^*(\mathbf{t}))$. We measure the quality of the recommended outcome with $\hat{\rho}(\mathbf{t})$, which is defined as the approximation ratio $C(\mathbf{t}, \hat{a})/\text{OPT}(\mathbf{t})$ and measures the approximation that we would achieve if we selected the recommended allocation \hat{a} . In the notation of a^* and $\hat{\rho}$, we drop the dependency on \mathbf{t} when it is clear from the context.

In the remainder of this section, we introduce a strategyproof mechanism that we call AllocationScaledGreedy (Mechanism 1). We prove that, given a confidence parameter $1 \leq \beta \leq n$, it exhibits $(\beta+1)$ -consistency and $\frac{n^2}{\beta}$ -robustness (Theorem 3). Next, we investigate the smoothness of this mechanism and demonstrate that its approximation ratio is upper bounded by $\min\{(\beta+1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$, which is asymptotically tight (Theorem 4). Furthermore, we establish that, when provided with the outcome as advice, it is impossible to achieve a better consistency-robustness trade-off than the AllocationScaledGreedy mechanism within the class of weighted VCG mechanisms (Theorem 5).

4.1 AllocationScaledGreedy Mechanism

In this subsection, we introduce a strategyproof mechanism called AllocationScaledGreedy, which achieves a $(\beta+1)$ -consistency (more precisely, $(\frac{n-1}{n}\beta+1)$ -consistency which converges to $\beta+1$ for large n) and a $\frac{n^2}{\beta}$ -robustness, where β is a confidence parameter ranging from 1 to n , with 1 corresponding to full trust and n corresponding to mistrust. For $\beta = n$, which can be interpreted as ignoring the recommendation, the AllocationScaledGreedy mechanism corresponds to the VCG mechanism; in that case, consistency and robustness bounds coincide, giving an n -approximation (same as VCG). Regarding the smoothness of our mechanism, we prove an asymptotically tight approximation ratio of $\min\{(\beta+1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$.

AllocationScaledGreedy The mechanism sets a weight r_{ij} for every machine i and every job j based on the recommendation \hat{a} . r_{ij} is set to 1 wherever $\hat{a}_{ij} = 1$, and $\frac{n}{\beta}$ wherever $\hat{a}_{ij} = 0$, for some $\beta \in [1, n]$. It then decides the allocation by running the weighted VCG mechanism for each job j separately, and by using r_{ij} as the (multiplicative) weight of machine i , i.e., each job j is allocated to some machine in $\arg \min_i \{r_{ij} t_{ij}\}$ that we denote by i_j .

Mechanism 1 The AllocationScaledGreedy mechanism

Input: instance $\mathbf{t} \in \mathbb{R}^{n \times m}$, recommendation $\hat{a} \in \mathbb{R}^{n \times m}$

Output: a

- 1: $r_{ij} \leftarrow 1$ if $\hat{a}_{ij} = 1$, $\frac{n}{\beta}$ otherwise, ($\beta \in [1, n]$)
 - 2: $i_j \leftarrow \arg \min_i \{r_{ij} t_{ij}\}$
 - 3: if $i = i_j$ then $a_{ij} = 1$ else $a_{ij} = 0$, for each $(i, j) \in N \times M$
-

Remark 2. We remark that the AllocationScaledGreedy mechanism for $\beta = 1$ is a simplification of the SimpleScaledGreedy mechanism of [8]. In [8], it is assumed that the mechanism is equipped with predictions of the entire cost matrix t_{ij} , for every machine-job pair. The SimpleScaledGreedy mechanism utilizes this information to define weights r_{ij} that may take values in the range $[1, n]$. In contrast, AllocationScaledGreedy uses weights with values only 1 or n , for $\beta = 1$. Notably, despite the limited information available to AllocationScaledGreedy, both mechanisms share the same consistency and robustness, but SimpleScaledGreedy lacks the nice property of being smooth, as for a very small prediction error, the approximation ratio has a large discontinuity gap (see full version for an example) as opposed to AllocationScaledGreedy (Theorem 4). SimpleScaledGreedy served as an intermediate step in [8] in the design of the more sophisticated mechanism ScaledGreedy, (which again relies heavily on the prediction of the entire cost matrix) which achieves the best of both worlds, constant consistency and $O(n)$ -robustness. However, for similar reasons, ScaledGreedy is not smooth either.

Theorem 3. The AllocationScaledGreedy mechanism is $(\frac{n-1}{n}\beta+1)$ -consistent and $\frac{n^2}{\beta}$ -robust.

In the following theorem, we show the smoothness result for the AllocationScaledGreedy mechanism; we show a tight approximation ratio depending on $\hat{\rho}$. We prove this theorem in the lemmas. In the

first one, we show that $\min\{(\beta + 1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$ is an upper bound, and in the second one that $\min\{\frac{n-1}{n}\beta\hat{\rho}, \frac{n+\hat{\rho}-1}{2}, \frac{n^2-1}{2\beta}\}$ is a lower bound on the approximation ratio of the AllocationScaled-Greedy mechanism. We defer the reader to the full version for the complete proof.

Theorem 4. *The AllocationScaledGreedy mechanism is at most $\min\{(\beta + 1)\hat{\rho}, n + \hat{\rho}, \frac{n^2}{\beta}\}$ -approximate and this bound is asymptotically tight.*

4.2 Mechanism Optimality

In this subsection, we provide general impossibility results for the class of weighted VCG mechanisms⁴, the most general known class of strategyproof mechanisms for multi-dimensional mechanism design settings, such as the scheduling problem. We prove that it is impossible to improve upon the AllocationScaledGreedy mechanism, given the recommended outcome. More specifically, there is no weighted VCG mechanism with β -consistency that can achieve a robustness better than $\Theta(\frac{n^2}{\beta})$, highlighting the optimality of AllocationScaledGreedy in this class of mechanisms.

Theorem 5. *Given any recommendation \hat{a} , any weighted VCG mechanism that is β -consistent, must also be $\Omega(\frac{n^2}{\beta})$ -robust, for any $2 \leq \beta \leq n$.*

Proof sketch. We provide a proof sketch of Theorem 5 and refer the reader to the full version for the complete proof. We will consider instances with n machines and n^2 jobs. Let a β -consistent weighted VCG mechanism and a recommendation \hat{a} that assigns every n jobs to a distinct machine. Focusing on each machine i , we specify the cost vector \mathbf{t} , such that the optimal allocation matches \hat{a} . The costs are such that the mechanism must assign each job j either to machine i or to machine \hat{i}_j that receives job j in \hat{a} . Machine i should not receive many jobs, otherwise β -consistency is violated. Consequently, there are many (approximately $\frac{n^2}{2}$) weights r_{ij} with value much higher comparing to the weight $r_{\hat{i}_j j}$, i.e., $\frac{r_{ij}}{r_{\hat{i}_j j}} \geq \frac{n}{2\beta}$.

Since this is true for each machine i , there exists a machine \hat{i} , such that, focusing only on the n jobs that \hat{i} receives in \hat{a} , there exist approximately $\frac{n^2}{2}$ jobs with value much higher (comparing to \hat{i}) among all machines. Then it holds that we can assign approximately $\frac{n}{2}$ jobs to distinct machines such that those machines have high-valued weight for their assigned job; let J be the set of those jobs. We finally consider the instance where each of those machines has a cost of 1 for their assigned job and sufficiently high cost⁵ for any other job in J , machine \hat{i} has a cost slightly less than $\frac{n}{2\beta}$ for jobs in J , and all other machines have infinite cost for jobs in J . The cost for any other job that does not belong to J is 0 for any machine. In this instance \mathbf{t} , $\text{OPT}(\mathbf{t}) = 1$, but the mechanism allocates all jobs of J to machine \hat{i} , resulting in $\text{MECH}(\mathbf{t}, \hat{a})$ being approximately $\frac{n^2}{4\beta}$. Hence, any β -consistent weighted VCG mechanism is $\Omega(\frac{n^2}{\beta})$ -robust.

5 Combinatorial Auctions

In this section, we show how output advice can integrate with truthful maximal in range (MIR) mechanisms where the goal is to optimize the social welfare (or more generally an affine function) over a restricted outcome space. Let M be a MIR mechanism with an approximation guarantee ρ_M . We define a mechanism that compares the outcome of M with a suggested solution \hat{a} and selects the one that achieves the highest social welfare. This mechanism remains MIR, as it simply expands the range of possible outcomes to include \hat{a} , ensuring it remains strategyproof, and is $\min\{\hat{\rho}, \rho_M\}$ -approximate. Combining with the results of [34, 17] we obtain strategyproof mechanisms for combinatorial auctions with approximation ratio of $\min\{\hat{\rho}, m/\log m\}$ for general valuations, $\min\{\hat{\rho}, \sqrt{m/\log m}\}$ for subadditive valuations, and $\min\{\hat{\rho}, 2\}$ for multi-unit valuations.

⁴Technically, weighted VCG mechanisms choose weights r_i for each machine i , rather than the more general case of choosing r_{ij} for each machine i and job j , that we consider here. In scheduling, where the valuation domain is additive, jobs can be grouped into clusters, and a distinct VCG mechanism can be applied to each cluster. The composition of these mechanisms remains strategyproof for additive domains. The extreme (and more general) case considered here is to cluster the jobs into m clusters.

⁵We choose ∞ cost for clarity, in fact it suffices to choose instead $t_{ij} > \frac{\min_{i' \neq i} \{r_{i'j} t_{i'j}\}}{r_{ij}}$, such that the mechanism does not allocate job j to machine i .

Acknowledgments and Disclosure of Funding

This work has been partially supported by project MIS 5154714 of the National Recovery and Resilience Plan Greece 2.0 funded by the European Union under the NextGenerationEU Program.

References

- [1] Atila Abdulkadiroğlu and Tayfun Sönmez. Random serial dictatorship and the core from random endowments in house allocation problems. *Econometrica*, 66(3):689–701, 1998.
- [2] Priyank Agrawal, Eric Balkanski, Vasilis Gkatzelis, Tingting Ou, and Xizhi Tan. Learning-augmented mechanism design: Leveraging predictions for facility location. In David M. Pennock, Ilya Segal, and Sven Seuken, editors, *EC '22: The 23rd ACM Conference on Economics and Computation, Boulder, CO, USA, July 11 - 15, 2022*, pages 497–528. ACM, 2022. doi: 10.1145/3490486.3538306.
- [3] Matteo Almanza, Flavio Chierichetti, Silvio Lattanzi, Alessandro Panconesi, and Giuseppe Re. Online facility location with multiple advice. In *NeurIPS*, pages 4661–4673, 2021.
- [4] Georgios Amanatidis, Georgios Birmpas, Aris Filos-Ratsikas, and Alexandros A. Voudouris. A few queries go a long way: Information-distortion tradeoffs in matching. *J. Artif. Intell. Res.*, 74, 2022.
- [5] Antonios Antoniadis, Christian Coester, Marek Eliás, Adam Polak, and Bertrand Simon. Online metric algorithms with untrusted predictions. *ACM Trans. Algorithms*, 19(2):19:1–19:34, 2023. doi: 10.1145/3582689.
- [6] Antonios Antoniadis, Hajo Broersma, and Yang Meng. Online graph coloring with predictions. In *ISCO*, volume 14594 of *Lecture Notes in Computer Science*, pages 289–302. Springer, 2024.
- [7] Autotel. Shared cars locations. 2017. URL <https://www.kaggle.com/datasets/gidutz/autotel-shared-car-locations/data>.
- [8] Eric Balkanski, Vasilis Gkatzelis, and Xizhi Tan. Strategyproof scheduling with predictions. In Yael Tauman Kalai, editor, *14th Innovations in Theoretical Computer Science Conference, ITCS 2023, January 10-13, 2023, MIT, Cambridge, Massachusetts, USA*, volume 251 of *LIPICs*, pages 11:1–11:22. Schloss Dagstuhl - Leibniz-Zentrum für Informatik, 2023. doi: 10.4230/LIPICs.ITCS.2023.11.
- [9] Eric Balkanski, Vasilis Gkatzelis, Xizhi Tan, and Cherlin Zhu. Online mechanism design with predictions. *CoRR*, abs/2310.02879, 2023. doi: 10.48550/ARXIV.2310.02879.
- [10] Ben Berger, Michal Feldman, Vasilis Gkatzelis, and Xizhi Tan. Optimal metric distortion with predictions. *CoRR*, abs/2307.07495, 2023. doi: 10.48550/ARXIV.2307.07495.
- [11] Ioannis Caragiannis and Georgios Kalantzis. Randomized learning-augmented auctions with revenue guarantees. In *IJCAI*, pages 2687–2694. ijcai.org, 2024.
- [12] T.-H. Hubert Chan, Arnaud Guerin, and Mauro Sozio. Fully dynamic k -center clustering. In *WWW*, pages 579–587. ACM, 2018.
- [13] George Christodoulou, Elias Koutsoupias, and Annamária Kovács. Mechanism design for fractional scheduling on unrelated machines. *ACM Trans. Algorithms*, 6(2):38:1–38:18, 2010. doi: 10.1145/1721837.1721854.
- [14] George Christodoulou, Aris Filos-Ratsikas, Søren Kristoffer Stiil Frederiksen, Paul W. Goldberg, Jie Zhang, and Jinshan Zhang. Social welfare in one-sided matching mechanisms. In *AAMAS Workshops (Selected Papers)*, volume 10002 of *Lecture Notes in Computer Science*, pages 30–50, 2016.
- [15] George Christodoulou, Elias Koutsoupias, and Annamária Kovács. A proof of the nisan-ronen conjecture. In Barna Saha and Rocco A. Servedio, editors, *Proceedings of the 55th Annual ACM Symposium on Theory of Computing, STOC 2023, Orlando, FL, USA, June 20-23, 2023*, pages 672–685. ACM, 2023. doi: 10.1145/3564246.3585176.
- [16] Vincent Cohen-Addad, Niklas Hjuler, Nikos Parotsidis, David Saulpic, and Chris Schwiegelshohn. Fully dynamic consistent facility location. In *NeurIPS*, pages 3250–3260, 2019.
- [17] Shahar Dobzinski and Noam Nisan. Mechanisms for multi-unit auctions. *J. Artif. Intell. Res.*, 37:85–98, 2010.

- [18] Shahar Dobzinski and Jan Vondrák. Impossibility results for truthful combinatorial auctions with submodular valuations. *J. ACM*, 63(1):5:1–5:19, 2016.
- [19] Shahar Dobzinski, Noam Nisan, and Michael Schapira. Approximation algorithms for combinatorial auctions with complement-free bidders. *Math. Oper. Res.*, 35(1):1–13, 2010. doi: 10.1287/MOOR.1090.0436.
- [20] Paul Dütting, Zhe Feng, Harikrishna Narasimhan, David C. Parkes, and Sai Srivatsa Ravindranath. Optimal auctions through deep learning. *Commun. ACM*, 64(8):109–116, 2021. doi: 10.1145/3470442.
- [21] Aris Filos-Ratsikas, Søren Kristoffer Stiil Frederiksen, and Jie Zhang. Social welfare in one-sided matchings: Random priority and beyond. In Ron Lavi, editor, *Algorithmic Game Theory - 7th International Symposium, SAGT 2014, Haifa, Israel, September 30 - October 2, 2014. Proceedings*, volume 8768 of *Lecture Notes in Computer Science*, pages 1–12. Springer, 2014. doi: 10.1007/978-3-662-44803-8_1.
- [22] Vasilis Gkatzelis, Kostas Kollias, Alkmini Sgouritsa, and Xizhi Tan. Improved price of anarchy via predictions. In David M. Pennock, Ilya Segal, and Sven Seuken, editors, *EC '22: The 23rd ACM Conference on Economics and Computation, Boulder, CO, USA, July 11 - 15, 2022*, pages 529–557. ACM, 2022. doi: 10.1145/3490486.3538296.
- [23] Sumit Goel and Wade Hann-Caruthers. Optimality of the coordinate-wise median mechanism for strategyproof facility location in two dimensions. *Soc. Choice Welf.*, 61(1):11–34, 2023. doi: 10.1007/S00355-022-01435-1.
- [24] Ron Holzman, Noa E. Kfir-Dahav, Dov Monderer, and Moshe Tennenholtz. Bundling equilibrium in combinatorial auctions. *Games Econ. Behav.*, 47(1):104–123, 2004.
- [25] Gabriel Istrate and Cosmin Bonchis. Mechanism design with predictions for obnoxious facility location. *CoRR*, abs/2212.09521, 2022. doi: 10.48550/ARXIV.2212.09521.
- [26] Leskovec Jure. Snap datasets: Stanford large network dataset collection. Retrieved December 2021 from <http://snap.stanford.edu/data>, 2014.
- [27] Pinyan Lu, Zongqi Wan, and Jialin Zhang. Competitive auctions with imperfect predictions. *CoRR*, abs/2309.15414, 2023. doi: 10.48550/ARXIV.2309.15414.
- [28] Thodoris Lykouris and Sergei Vassilvitskii. Competitive caching with machine learned advice. *J. ACM*, 68(4):24:1–24:25, 2021. doi: 10.1145/3447579.
- [29] Reshef Meir. Strategyproof facility location for three agents on a circle. In *SAGT*, volume 11801 of *Lecture Notes in Computer Science*, pages 18–33. Springer, 2019.
- [30] Michael Mitzenmacher and Sergei Vassilvitskii. Algorithms with predictions. *Commun. ACM*, 65(7):33–35, 2022. doi: 10.1145/3528087.
- [31] Siddharth Prasad, Maria-Florina Balcan, and Tuomas Sandholm. Bicriteria multidimensional mechanism design with side information. In *NeurIPS*, 2023.
- [32] Ariel D. Procaccia and Moshe Tennenholtz. Approximate mechanism design without money. *ACM Trans. Economics and Comput.*, 1(4):18:1–18:26, 2013. doi: 10.1145/2542174.2542175.
- [33] Manish Purohit, Zoya Svitkina, and Ravi Kumar. Improving online algorithms via ML predictions. In Samy Bengio, Hanna M. Wallach, Hugo Larochelle, Kristen Grauman, Nicolò Cesa-Bianchi, and Roman Garnett, editors, *Advances in Neural Information Processing Systems 31: Annual Conference on Neural Information Processing Systems 2018, NeurIPS 2018, December 3-8, 2018, Montréal, Canada*, pages 9684–9693, 2018.
- [34] Frederick V. Qiu and S. Matthew Weinberg. Settling the communication complexity of vcg-based mechanisms for all approximation guarantees. In *STOC*, pages 1192–1203. ACM, 2024.
- [35] Alvin E Roth. Incentive compatibility in a market with indivisible goods. *Economics letters*, 9(2):127–132, 1982.
- [36] Weiran Shen, Pingzhong Tang, and Song Zuo. Automated mechanism design via neural networks. In Edith Elkind, Manuela Veloso, Noa Agmon, and Matthew E. Taylor, editors, *Proceedings of the 18th International Conference on Autonomous Agents and MultiAgent Systems, AAMAS '19, Montreal, QC, Canada, May 13-17, 2019*, pages 215–223. International Foundation for Autonomous Agents and Multiagent Systems, 2019. URL <http://dl.acm.org/citation.cfm?id=3331696>.

- [37] U.S Geological Survey. Earthquake. URL <https://www.kaggle.com/datasets/usgs/earthquake-database>.
- [38] Lars-Gunnar Svensson. Strategy-proof allocation of indivisible goods. *Social Choice and Welfare*, 16(4): 557–567, 1999.
- [39] Chenyang Xu and Pinyan Lu. Mechanism design with predictions. In Luc De Raedt, editor, *Proceedings of the Thirty-First International Joint Conference on Artificial Intelligence, IJCAI 2022, Vienna, Austria, 23-29 July 2022*, pages 571–577. ijcai.org, 2022. doi: 10.24963/IJCAI.2022/81.

NeurIPS Paper Checklist

1. Claims

Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?

Answer: [Yes]

Justification: The model introduced in the abstract and introduction sections is well defined and applied on several mechanism design problems. Both consistency and robustness guarantees are proved for each problem while the applicability of the quality of recommendation is well established on all problems.

Guidelines:

- The answer NA means that the abstract and introduction do not include the claims made in the paper.
- The abstract and/or introduction should clearly state the claims made, including the contributions made in the paper and important assumptions and limitations. A No or NA answer to this question will not be perceived well by the reviewers.
- The claims made should match theoretical and experimental results, and reflect how much the results can be expected to generalize to other settings.
- It is fine to include aspirational goals as motivation as long as it is clear that these goals are not attained by the paper.

2. Limitations

Question: Does the paper discuss the limitations of the work performed by the authors?

Answer: [Yes]

Justification: Despite the fact that the proposed model (output prediction and quality of recommendation) can be applied to a wide range of problems, it is clearly stated that the output prediction is limited in the sense that it considers less amount of information compared to e.g. input prediction.

Guidelines:

- The answer NA means that the paper has no limitation while the answer No means that the paper has limitations, but those are not discussed in the paper.
- The authors are encouraged to create a separate "Limitations" section in their paper.
- The paper should point out any strong assumptions and how robust the results are to violations of these assumptions (e.g., independence assumptions, noiseless settings, model well-specification, asymptotic approximations only holding locally). The authors should reflect on how these assumptions might be violated in practice and what the implications would be.
- The authors should reflect on the scope of the claims made, e.g., if the approach was only tested on a few datasets or with a few runs. In general, empirical results often depend on implicit assumptions, which should be articulated.
- The authors should reflect on the factors that influence the performance of the approach. For example, a facial recognition algorithm may perform poorly when image resolution is low or images are taken in low lighting. Or a speech-to-text system might not be used reliably to provide closed captions for online lectures because it fails to handle technical jargon.
- The authors should discuss the computational efficiency of the proposed algorithms and how they scale with dataset size.
- If applicable, the authors should discuss possible limitations of their approach to address problems of privacy and fairness.
- While the authors might fear that complete honesty about limitations might be used by reviewers as grounds for rejection, a worse outcome might be that reviewers discover limitations that aren't acknowledged in the paper. The authors should use their best judgment and recognize that individual actions in favor of transparency play an important role in developing norms that preserve the integrity of the community. Reviewers will be specifically instructed to not penalize honesty concerning limitations.

3. Theory Assumptions and Proofs

Question: For each theoretical result, does the paper provide the full set of assumptions and a complete (and correct) proof?

Answer: [Yes]

Justification: The paper ensures that each theoretical result is accompanied by a comprehensive set of assumptions and a meticulously crafted proof. The proofs are well-organized, typically following a logical progression with lemmas presented in the correct order to support the main theorem.

Guidelines:

- The answer NA means that the paper does not include theoretical results.
- All the theorems, formulas, and proofs in the paper should be numbered and cross-referenced.
- All assumptions should be clearly stated or referenced in the statement of any theorems.
- The proofs can either appear in the main paper or the supplemental material, but if they appear in the supplemental material, the authors are encouraged to provide a short proof sketch to provide intuition.
- Inversely, any informal proof provided in the core of the paper should be complemented by formal proofs provided in appendix or supplemental material.
- Theorems and Lemmas that the proof relies upon should be properly referenced.

4. Experimental Result Reproducibility

Question: Does the paper fully disclose all the information needed to reproduce the main experimental results of the paper to the extent that it affects the main claims and/or conclusions of the paper (regardless of whether the code and data are provided or not)?

Answer: [Yes]

Justification: The paper provides detailed descriptions of all algorithms both theoretically and with accompanying code. Additionally, the supplementary material includes comprehensive guides that allow readers to reproduce and study the experimental results in depth.

Guidelines:

- The answer NA means that the paper does not include experiments.
- If the paper includes experiments, a No answer to this question will not be perceived well by the reviewers: Making the paper reproducible is important, regardless of whether the code and data are provided or not.
- If the contribution is a dataset and/or model, the authors should describe the steps taken to make their results reproducible or verifiable.
- Depending on the contribution, reproducibility can be accomplished in various ways. For example, if the contribution is a novel architecture, describing the architecture fully might suffice, or if the contribution is a specific model and empirical evaluation, it may be necessary to either make it possible for others to replicate the model with the same dataset, or provide access to the model. In general, releasing code and data is often one good way to accomplish this, but reproducibility can also be provided via detailed instructions for how to replicate the results, access to a hosted model (e.g., in the case of a large language model), releasing of a model checkpoint, or other means that are appropriate to the research performed.
- While NeurIPS does not require releasing code, the conference does require all submissions to provide some reasonable avenue for reproducibility, which may depend on the nature of the contribution. For example
 - (a) If the contribution is primarily a new algorithm, the paper should make it clear how to reproduce that algorithm.
 - (b) If the contribution is primarily a new model architecture, the paper should describe the architecture clearly and fully.
 - (c) If the contribution is a new model (e.g., a large language model), then there should either be a way to access this model for reproducing the results or a way to reproduce the model (e.g., with an open-source dataset or instructions for how to construct the dataset).

- (d) We recognize that reproducibility may be tricky in some cases, in which case authors are welcome to describe the particular way they provide for reproducibility. In the case of closed-source models, it may be that access to the model is limited in some way (e.g., to registered users), but it should be possible for other researchers to have some path to reproducing or verifying the results.

5. Open access to data and code

Question: Does the paper provide open access to the data and code, with sufficient instructions to faithfully reproduce the main experimental results, as described in supplemental material?

Answer: [Yes]

Justification: Full code and data are provided in order to make the result reproduction possible. Data is open-source and helpful references and links are provided.

Guidelines:

- The answer NA means that paper does not include experiments requiring code.
- Please see the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- While we encourage the release of code and data, we understand that this might not be possible, so “No” is an acceptable answer. Papers cannot be rejected simply for not including code, unless this is central to the contribution (e.g., for a new open-source benchmark).
- The instructions should contain the exact command and environment needed to run to reproduce the results. See the NeurIPS code and data submission guidelines (<https://nips.cc/public/guides/CodeSubmissionPolicy>) for more details.
- The authors should provide instructions on data access and preparation, including how to access the raw data, preprocessed data, intermediate data, and generated data, etc.
- The authors should provide scripts to reproduce all experimental results for the new proposed method and baselines. If only a subset of experiments are reproducible, they should state which ones are omitted from the script and why.
- At submission time, to preserve anonymity, the authors should release anonymized versions (if applicable).
- Providing as much information as possible in supplemental material (appended to the paper) is recommended, but including URLs to data and code is permitted.

6. Experimental Setting/Details

Question: Does the paper specify all the training and test details (e.g., data splits, hyperparameters, how they were chosen, type of optimizer, etc.) necessary to understand the results?

Answer: [Yes]

Justification: The paper justifies the dataset selection as suitable for the facility location problem and exposes the parameters of the mechanism used and the predictions created.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The experimental setting should be presented in the core of the paper to a level of detail that is necessary to appreciate the results and make sense of them.
- The full details can be provided either with the code, in appendix, or as supplemental material.

7. Experiment Statistical Significance

Question: Does the paper report error bars suitably and correctly defined or other appropriate information about the statistical significance of the experiments?

Answer: [No]

Justification: In the experimental section, our purpose is to compare the behavior of our error with other defined errors based various predictions. The experiments do not contain any randomization or uncertainty.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The authors should answer "Yes" if the results are accompanied by error bars, confidence intervals, or statistical significance tests, at least for the experiments that support the main claims of the paper.
- The factors of variability that the error bars are capturing should be clearly stated (for example, train/test split, initialization, random drawing of some parameter, or overall run with given experimental conditions).
- The method for calculating the error bars should be explained (closed form formula, call to a library function, bootstrap, etc.)
- The assumptions made should be given (e.g., Normally distributed errors).
- It should be clear whether the error bar is the standard deviation or the standard error of the mean.
- It is OK to report 1-sigma error bars, but one should state it. The authors should preferably report a 2-sigma error bar than state that they have a 96% CI, if the hypothesis of Normality of errors is not verified.
- For asymmetric distributions, the authors should be careful not to show in tables or figures symmetric error bars that would yield results that are out of range (e.g. negative error rates).
- If error bars are reported in tables or plots, The authors should explain in the text how they were calculated and reference the corresponding figures or tables in the text.

8. Experiments Compute Resources

Question: For each experiment, does the paper provide sufficient information on the computer resources (type of compute workers, memory, time of execution) needed to reproduce the experiments?

Answer: [Yes] .

Justification: While there is no need for intense computational power, the details of the computing machine's CPU are included in the experimental section.

Guidelines:

- The answer NA means that the paper does not include experiments.
- The paper should indicate the type of compute workers CPU or GPU, internal cluster, or cloud provider, including relevant memory and storage.
- The paper should provide the amount of compute required for each of the individual experimental runs as well as estimate the total compute.
- The paper should disclose whether the full research project required more compute than the experiments reported in the paper (e.g., preliminary or failed experiments that didn't make it into the paper).

9. Code Of Ethics

Question: Does the research conducted in the paper conform, in every respect, with the NeurIPS Code of Ethics <https://neurips.cc/public/EthicsGuidelines?>

Answer: [Yes]

Justification: NeurIPS Code of ethics is fully respected by our paper.

Guidelines:

- The answer NA means that the authors have not reviewed the NeurIPS Code of Ethics.
- If the authors answer No, they should explain the special circumstances that require a deviation from the Code of Ethics.
- The authors should make sure to preserve anonymity (e.g., if there is a special consideration due to laws or regulations in their jurisdiction).

10. Broader Impacts

Question: Does the paper discuss both potential positive societal impacts and negative societal impacts of the work performed?

Answer: [NA]

Justification: Our work does not have any societal impact, as it is merely a theoretical work. The proposed new mechanisms can be used to promote strategyproofness among agents and efficiency.

Guidelines:

- The answer NA means that there is no societal impact of the work performed.
- If the authors answer NA or No, they should explain why their work has no societal impact or why the paper does not address societal impact.
- Examples of negative societal impacts include potential malicious or unintended uses (e.g., disinformation, generating fake profiles, surveillance), fairness considerations (e.g., deployment of technologies that could make decisions that unfairly impact specific groups), privacy considerations, and security considerations.
- The conference expects that many papers will be foundational research and not tied to particular applications, let alone deployments. However, if there is a direct path to any negative applications, the authors should point it out. For example, it is legitimate to point out that an improvement in the quality of generative models could be used to generate deepfakes for disinformation. On the other hand, it is not needed to point out that a generic algorithm for optimizing neural networks could enable people to train models that generate Deepfakes faster.
- The authors should consider possible harms that could arise when the technology is being used as intended and functioning correctly, harms that could arise when the technology is being used as intended but gives incorrect results, and harms following from (intentional or unintentional) misuse of the technology.
- If there are negative societal impacts, the authors could also discuss possible mitigation strategies (e.g., gated release of models, providing defenses in addition to attacks, mechanisms for monitoring misuse, mechanisms to monitor how a system learns from feedback over time, improving the efficiency and accessibility of ML).

11. Safeguards

Question: Does the paper describe safeguards that have been put in place for responsible release of data or models that have a high risk for misuse (e.g., pretrained language models, image generators, or scraped datasets)?

Answer: [NA]

Justification: The paper does not contain any results or data that could be misused in any way.

Guidelines:

- The answer NA means that the paper poses no such risks.
- Released models that have a high risk for misuse or dual-use should be released with necessary safeguards to allow for controlled use of the model, for example by requiring that users adhere to usage guidelines or restrictions to access the model or implementing safety filters.
- Datasets that have been scraped from the Internet could pose safety risks. The authors should describe how they avoided releasing unsafe images.
- We recognize that providing effective safeguards is challenging, and many papers do not require this, but we encourage authors to take this into account and make a best faith effort.

12. Licenses for existing assets

Question: Are the creators or original owners of assets (e.g., code, data, models), used in the paper, properly credited and are the license and terms of use explicitly mentioned and properly respected?

Answer: [Yes]

Justification: All datasets are cited properly and owners are given credit.

Guidelines:

- The answer NA means that the paper does not use existing assets.

- The authors should cite the original paper that produced the code package or dataset.
- The authors should state which version of the asset is used and, if possible, include a URL.
- The name of the license (e.g., CC-BY 4.0) should be included for each asset.
- For scraped data from a particular source (e.g., website), the copyright and terms of service of that source should be provided.
- If assets are released, the license, copyright information, and terms of use in the package should be provided. For popular datasets, paperswithcode.com/datasets has curated licenses for some datasets. Their licensing guide can help determine the license of a dataset.
- For existing datasets that are re-packaged, both the original license and the license of the derived asset (if it has changed) should be provided.
- If this information is not available online, the authors are encouraged to reach out to the asset's creators.

13. New Assets

Question: Are new assets introduced in the paper well documented and is the documentation provided alongside the assets?

Answer: [NA]

Justification: The paper does not release new assets.

Guidelines:

- The answer NA means that the paper does not release new assets.
- Researchers should communicate the details of the dataset/code/model as part of their submissions via structured templates. This includes details about training, license, limitations, etc.
- The paper should discuss whether and how consent was obtained from people whose asset is used.
- At submission time, remember to anonymize your assets (if applicable). You can either create an anonymized URL or include an anonymized zip file.

14. Crowdsourcing and Research with Human Subjects

Question: For crowdsourcing experiments and research with human subjects, does the paper include the full text of instructions given to participants and screenshots, if applicable, as well as details about compensation (if any)?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Including this information in the supplemental material is fine, but if the main contribution of the paper involves human subjects, then as much detail as possible should be included in the main paper.
- According to the NeurIPS Code of Ethics, workers involved in data collection, curation, or other labor should be paid at least the minimum wage in the country of the data collector.

15. Institutional Review Board (IRB) Approvals or Equivalent for Research with Human Subjects

Question: Does the paper describe potential risks incurred by study participants, whether such risks were disclosed to the subjects, and whether Institutional Review Board (IRB) approvals (or an equivalent approval/review based on the requirements of your country or institution) were obtained?

Answer: [NA]

Justification: The paper does not involve crowdsourcing nor research with human subjects.

Guidelines:

- The answer NA means that the paper does not involve crowdsourcing nor research with human subjects.
- Depending on the country in which research is conducted, IRB approval (or equivalent) may be required for any human subjects research. If you obtained IRB approval, you should clearly state this in the paper.
- We recognize that the procedures for this may vary significantly between institutions and locations, and we expect authors to adhere to the NeurIPS Code of Ethics and the guidelines for their institution.
- For initial submissions, do not include any information that would break anonymity (if applicable), such as the institution conducting the review.