
Online Variational Filtering and Parameter Learning

Andrew Campbell * Yuyang Shi * Tom Rainforth Arnaud Doucet
Department of Statistics, University of Oxford, UK
{campbell, yshi, rainforth, doucet}@stats.ox.ac.uk

Abstract

We present a variational method for *online* state estimation and parameter learning in state-space models (SSMs), a ubiquitous class of latent variable models for sequential data. As per standard batch variational techniques, we use stochastic gradients to simultaneously optimize a lower bound on the log evidence with respect to both model parameters and a variational approximation of the states' posterior distribution. However, unlike existing approaches, our method is able to operate in an entirely online manner, such that historic observations do not require revisitation after being incorporated and the cost of updates at each time step remains constant, despite the growing dimensionality of the joint posterior distribution of the states. This is achieved by utilizing backward decompositions of this joint posterior distribution and of its variational approximation, combined with Bellman-type recursions for the evidence lower bound and its gradients. We demonstrate the performance of this methodology across several examples, including high-dimensional SSMs and sequential Variational Auto-Encoders.

1 Introduction

Many tasks in machine learning with time series data—such as video prediction [16, 27], speech enhancement [35] or robot localization [9, 18, 28]—often need to be performed online. Online techniques are also necessary in contexts as diverse as target tracking [4], weather prediction [13] and financial forecasting [42]. A popular class of models for these sequential data are SSMs which, when combined with neural network ideas, can also be used to define powerful sequential Variational Auto-Encoders (VAEs); see e.g. [8, 15, 16, 30]. However, performing inference in SSMs is a challenging problem and approximate inference techniques for such models remain an active research area.

Formally, an SSM is described by a latent Markov process and an observation process. Even if the model parameters are assumed known, online inference of the states of the latent process is a complex problem known as filtering. Standard approximations such as the extended Kalman Filter (KF), ensemble KF, and unscented KF can be used, but only provide an ad hoc Gaussian approximation to the filter [13, 17, 37]. More generally, assumed density filtering techniques [3, 7, 32] can provide other simple parametric family approximations. These approximate filtering methods can be used, in turn, to develop online parameter learning procedures by either augmenting the state with the static parameters or using gradient-based approaches. However, such approaches are notoriously unreliable [19]. Particle Filtering (PF) methods, on the other hand, provide a more principled approach for online state and parameter estimation with theoretical guarantees [11, 12, 19, 41], but the variance of PF estimates typically scales exponentially with the state dimension [6].

Although they typically do not return consistent estimates, variational techniques provide an attractive alternative for simultaneous state estimation and parameter learning which scales better to high-dimensional latent states than PF, and are not restricted to simple parametric approximations. Many

*Equal contribution

such methods have been proposed for SSMs over recent years, e.g. [2, 10, 20, 22, 23, 29, 33, 36]. However, they have generally been developed for *batch inference* where one maximizes the Evidence Lower Bound (ELBO) for a *fixed* dataset. As such, they are ill-suited for *online* learning as, whenever a new observation is collected, one would need to update the entire joint variational states distribution whose dimension increases over time. Though a small number of online variational approaches have been developed [30, 38, 45], these rely on significant restrictions of the variational family, leading to approximations that cannot faithfully approximate the posterior distribution of the latent states.

The main contribution of this paper is a novel variational approach to perform *online* filtering and parameter learning for SSMs which bypasses those restrictions. As per standard batch variational inference, we simultaneously maximize an ELBO with respect to both model parameters and a variational approximation of the joint state posterior. However, our method operates in an entirely online manner and the cost of updates at each time step remains constant. Key to our approach is a backward decomposition of the variational approximation of the states posterior, combined with a representation of the ELBO and its gradients as expectations of value functions satisfying Bellman-type recursions akin to those appearing in Reinforcement Learning (RL) [39].

2 Background

State-Space Models. SSMs are defined by a latent \mathcal{X} -valued Markov process $(x_t)_{t \geq 1}$ and \mathcal{Y} -valued observations $(y_t)_{t \geq 1}$, which are conditionally independent given the latent process. They correspond to the generative model

$$x_1 \sim \mu_\theta(x_1), \quad x_{t+1}|x_t \sim f_\theta(x_{t+1}|x_t), \quad y_t|x_t \sim g_\theta(y_t|x_t),$$

where $\theta \in \mathbb{R}^{d_\theta}$ is a parameter of interest and we consider here $\mathcal{X} = \mathbb{R}^{d_x}$. For $y^t := y_{1:t} = (y_1, \dots, y_t)$, we thus have

$$p_\theta(x_{1:t}, y^t) = \mu_\theta(x_1) g_\theta(y_1|x_1) \prod_{k=2}^t f_\theta(x_k|x_{k-1}) g_\theta(y_k|x_k).$$

Assume for the time being that θ is known. Given observations $(y_t)_{t \geq 1}$ and parameter values θ , one can perform online state inference by computing the posterior of x_t given y^t which satisfies

$$p_\theta(x_t|y^t) = \frac{g_\theta(y_t|x_t) p_\theta(x_t|y^{t-1})}{p_\theta(y_t|y^{t-1})}, \quad p_\theta(x_t|y^{t-1}) = \int f_\theta(x_t|x_{t-1}) p_\theta(x_{t-1}|y^{t-1}) dx_{t-1}, \quad (1)$$

with $p_\theta(x_1|y^0) := \mu_\theta(x_1)$. The log evidence $\ell_t(\theta) := \log p_\theta(y^t)$ is then given by

$$\ell_t(\theta) = \sum_{k=1}^t \log p_\theta(y_k|y^{k-1}), \quad \text{where} \quad p_\theta(y_k|y^{k-1}) = \int g_\theta(y_k|x_k) p_\theta(x_k|y^{k-1}) dx_k. \quad (2)$$

Here $p_\theta(x_k|y^k)$ is known as the filtering distribution. While the recursion (1) and the sequential decomposition (2) are at the core of most existing online state and parameter inference techniques [19, 37, 45], we will focus here on the joint state posterior distribution, also known as the smoothing distribution, of the states $x_{1:t}$ given y^t and the corresponding representation of the log evidence

$$p_\theta(x_{1:t}|y^t) = p_\theta(x_{1:t}, y^t) / p_\theta(y^t), \quad \ell_t(\theta) = \log p_\theta(y^t) = \log \left(\int p_\theta(x_{1:t}, y^t) dx_{1:t} \right).$$

Variational Inference. For general SSMs, the filtering and smoothing distributions as well as the log evidence are not available analytically and need to be approximated. For data y^t , standard variational approaches use stochastic gradient techniques to maximize the following ELBO

$$\mathcal{L}_t(\theta, \phi) := \mathbb{E}_{q^\phi(x_{1:t}|y^t)} \left[\log \left(p_\theta(x_{1:t}, y^t) / q^\phi(x_{1:t}|y^t) \right) \right] \leq \ell_t(\theta). \quad (3)$$

Maximizing this ELBO w.r.t. the parameter ϕ of the variational distribution $q^\phi(x_{1:t}|y^t)$ corresponds to doing variational smoothing while maximizing it w.r.t. θ corresponds to doing parameter learning.

As the true smoothing distribution satisfies $p_\theta(x_{1:t}|y^t) = p_\theta(x_1|y^t) \prod_{k=2}^t p_\theta(x_k|y^t, x_{k-1})$, one typically uses $q^\phi(x_{1:t}|y^t) = q^\phi(x_1|y^t) \prod_{k=2}^t q^\phi(x_k|y^t, x_{k-1})$ for the variational smoothing distribution; see e.g. [2, 20, 22, 43]. However this approach is not suitable for *online* variational filtering and parameter learning. Firstly, the resulting marginal $q^\phi(x_t|y^t)$ of $q^\phi(x_{1:t}|y^t)$, approximating $p_\theta(x_t|y^t)$, is typically not available analytically. Secondly, when the new observation y_{t+1} is collected, this approach would require recomputing an entirely new variational smoothing distribution with a dimension that increases with time. One can attempt to bypass this problem by restricting ourselves to $q^\phi(x_{1:t}|y^t) = q^\phi(x_1|y^1) \prod_{k=2}^t q^\phi(x_k|y^k, x_{k-1})$ as per [30]. However, the switch from conditioning on y^t to y^k prohibits learning an accurate approximation of $p_\theta(x_{1:t}|y^t)$ as this formulation does not condition on all relevant data.

3 Online Variational Filtering and Parameter Learning

Our online variational filtering and parameter estimation approach exploits a backward factorization of the variational smoothing distribution $q_t^\phi(x_{1:t}|y^t)$. The ELBO and its gradients w.r.t. θ and ϕ are computed in an *online* manner as t increases by using a combination of ideas from dynamic programming and RL, with a computational time that remains constant at each time step. To simplify notation, henceforth we will write $q_t^\phi(x_{1:t}) = q_t^\phi(x_{1:t}|y^t)$.

3.1 Backward Decomposition of the Variational Smoothing Distribution

The key property that we will be exploiting is that $p_\theta(x_{1:t}|y^t)$ satisfies

$$p_\theta(x_{1:t}|y^t) = p_\theta(x_t|y^t) \prod_{k=1}^{t-1} p_\theta(x_k|y^k, x_{k+1}), \quad p_\theta(x_k|y^k, x_{k+1}) = \frac{f_\theta(x_{k+1}|x_k)p_\theta(x_k|y^k)}{p_\theta(x_{k+1}|y^k)}. \quad (4)$$

Equation (4) shows that, conditional upon y^t , $(x_k)_{k=1}^t$ is a reverse-time Markov chain of initial distribution $p_\theta(x_t|y^t)$ and backward Markov transition kernels $p_\theta(x_k|y^k, x_{k+1})$; see e.g. [12, 19]. Crucially the backward transition kernel at time k depends only on the observations until time k .

To exploit this, we consider a variational smoothing distribution of the form

$$q_t^\phi(x_{1:t}) = q_t^\phi(x_t) \prod_{k=1}^{t-1} q_{k+1}^\phi(x_k|x_{k+1}), \quad (5)$$

where $q_t^\phi(x_t)$ and $q_{k+1}^\phi(x_k|x_{k+1})$ are variational approximations of the filtering distribution $p_\theta(x_t|y^t)$ and the backward kernel $p_\theta(x_k|y^k, x_{k+1})$ respectively. Using (5), one now has

$$\begin{aligned} \mathcal{L}_t(\theta, \phi) &= \ell_t(\theta) - \text{KL}(q_t^\phi(x_t) || p_\theta(x_t|y^t)) \\ &\quad - \sum_{k=1}^{t-1} \mathbb{E}_{q_t^\phi(x_{k+1})} \left[\text{KL}(q_{k+1}^\phi(x_k|x_{k+1}) || p_\theta(x_k|y^k, x_{k+1})) \right], \end{aligned}$$

where KL is the Kullback–Leibler divergence and $q_t^\phi(x_{k+1})$ is the marginal distribution of x_{k+1} under the variational distribution $q_t^\phi(x_{1:t})$ defined in (5). Considering this variational distribution thus makes it possible to learn an arbitrarily accurate variational approximation of the true smoothing distribution whilst still only needing to condition on y^k at time k and not on future observations. Additionally, it follows directly from (5) that we can easily update $q_{t+1}^\phi(x_{1:t+1})$ from $q_t^\phi(x_{1:t})$ using

$$q_{t+1}^\phi(x_{1:t+1}) = q_t^\phi(x_{1:t}) m_{t+1}^\phi(x_{t+1}|x_t), \quad \text{for } m_{t+1}^\phi(x_{t+1}|x_t) := \frac{q_{t+1}^\phi(x_t|x_{t+1}) q_{t+1}^\phi(x_{t+1})}{q_t^\phi(x_t)}. \quad (6)$$

Here $m_{t+1}^\phi(x_{t+1}|x_t)$ can be viewed as an approximation of the Markov transition density $q_{t+1}^\phi(x_{t+1}|x_t) \propto q_{t+1}^\phi(x_t|x_{t+1}) q_{t+1}^\phi(x_{t+1})$ but it is typically not a proper Markov transition density; i.e. $\int m_{t+1}^\phi(x_{t+1}|x_t) dx_{t+1} \neq 1$ as $\int q_{t+1}^\phi(x_t|x_{t+1}) q_{t+1}^\phi(x_{t+1}) dx_{t+1} \neq q_t^\phi(x_t)$.

Let us assume that $q_k^\phi(x_k) = q_k^{\phi_k}(x_k)$ and $q_k^\phi(x_{k-1}|x_k) = q_k^{\phi_k}(x_{k-1}|x_k)$, then (5) and (6) suggest that we only need to estimate ϕ_t at time t as y_t does not impact the backward Markov kernels prior to time t . However, we also have to be able to compute estimates of $\nabla_\phi \mathcal{L}_t(\theta, \phi)$ and $\nabla_\theta \mathcal{L}_t(\theta, \phi)$ to optimize parameters in a constant computational time at each time step, without having to consider the entire history of observations y^t . This is detailed in the next subsections where we show that the sequence of ELBOs $\{\mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$ and its gradients $\{\nabla_\theta \mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$ and $\{\nabla_\phi \mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$ can all be computed online when using the variational distributions $\{q_t^\phi(x_{1:t})\}_{t \geq 1}$ defined in (5).

3.2 Forward recursion for the ELBO

We start by presenting a forward-only recursion for the computation of $\{\mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$. This recursion illustrates the parallels between variational inference and RL and is introduced to build intuition.

Proposition 1. *The ELBO $\mathcal{L}_t(\theta, \phi)$ satisfies for $t \geq 1$*

$$\mathcal{L}_t(\theta, \phi) = \mathbb{E}_{q_t^\phi(x_t)} [V_t^{\theta, \phi}(x_t)] \quad \text{for } V_t^{\theta, \phi}(x_t) := \mathbb{E}_{q_t^\phi(x_{1:t-1}|x_t)} \left[\log \left(p_\theta(x_{1:t}, y^t) / q_t^\phi(x_{1:t}) \right) \right],$$

with the convention $V_1^{\theta,\phi}(x_1) := r_1^{\theta,\phi}(x_0, x_1) := \log(p_\theta(x_1, y_1)/q_1^\phi(x_1))$. Additionally, we have

$$V_{t+1}^{\theta,\phi}(x_{t+1}) = \mathbb{E}_{q_{t+1}^\phi(x_t|x_{t+1})}[V_t^{\theta,\phi}(x_t) + r_{t+1}^{\theta,\phi}(x_t, x_{t+1})], \quad \text{where} \quad (7)$$

$$r_{t+1}^{\theta,\phi}(x_t, x_{t+1}) := \log\left(f_\theta(x_{t+1}|x_t)g_\theta(y_{t+1}|x_{t+1})/m_{t+1}^\phi(x_{t+1}|x_t)\right). \quad (8)$$

All proofs are given in Appendix C. Proposition 1 shows that we can compute $\mathcal{L}_t(\theta, \phi)$, for $t \geq 1$, online by recursively computing the functions $V_t^{\theta,\phi}$ using (7) and then taking the expectation of $V_t^{\theta,\phi}$ w.r.t. $q_t^\phi(x_t)$ to obtain the ELBO at time t . Thus, given $V_t^{\theta,\phi}$, we can compute $V_{t+1}^{\theta,\phi}$ and $\mathcal{L}_{t+1}(\theta, \phi)$ using only y_{t+1} , with a cost that remains constant in t .

This type of recursion is somewhat similar to those appearing in RL. We can indeed think of the ELBO $\mathcal{L}_t(\theta, \phi)$ as the expectation of a sum of ‘‘rewards’’ $r_k^{\theta,\phi}$ given in (8) from $k = 1$ to $k = t$ which we compute recursively using the ‘‘value’’ function $V_t^{\theta,\phi}$. However, while in RL the value function is given by the expectation of the sum of future rewards starting from x_t , the value function defined here is the expectation of the sum of past rewards conditional upon arriving in x_t . This yields the required forward recursion instead of a backward recursion. We expand on this link in Section 4 and Appendix A.3.

3.3 Forward recursion for ELBO gradient w.r.t. θ

A similar recursion can be obtained to compute $\{\nabla_\theta \mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$. This recursion will be at the core of our online parameter learning algorithm. Henceforth, we will assume that regularity conditions allowing both differentiation and the interchange of integration and differentiation are satisfied.

Proposition 2. *The ELBO gradient $\nabla_\theta \mathcal{L}_t(\theta, \phi)$ satisfies for $t \geq 1$*

$$\nabla_\theta \mathcal{L}_t(\theta, \phi) = \mathbb{E}_{q_t^\phi(x_t)}[S_t^{\theta,\phi}(x_t)], \quad \text{where} \quad S_t^{\theta,\phi}(x_t) := \nabla_\theta V_t^{\theta,\phi}(x_t).$$

Additionally, if we define $s_{t+1}^{\theta,\phi}(x_t, x_{t+1}) := \nabla_\theta r_{t+1}^{\theta,\phi}(x_t, x_{t+1}) = \nabla_\theta \log f_\theta(x_{t+1}|x_t)g_\theta(y_{t+1}|x_{t+1})$ then

$$S_{t+1}^{\theta,\phi}(x_{t+1}) = \mathbb{E}_{q_{t+1}^\phi(x_t|x_{t+1})}\left[S_t^{\theta,\phi}(x_t) + s_{t+1}^{\theta,\phi}(x_t, x_{t+1})\right]. \quad (9)$$

Proposition 2 shows that we can compute $\{\nabla_\theta \mathcal{L}_t(\theta, \phi)\}_{t \geq 1}$ online by propagating $\{S_t^{\theta,\phi}\}_{t \geq 1}$ using (9) and taking the expectation of the vector $S_t^{\theta,\phi}$ w.r.t. $q_t^\phi(x_t)$ to obtain the gradient at time t . Similar ideas have been previously exploited in the statistics literature to obtain a forward recursion for the score vector $\nabla_\theta \ell_t(\theta)$ so as to perform recursive maximum likelihood parameter estimation; see e.g. [19, Section 4]. In this case, one has $\nabla_\theta \ell_t(\theta) = \mathbb{E}_{p_\theta(x_t|y^t)}[S_t^\theta(x_t)]$ where S_t^θ satisfies a recursion similar to (9) with $q_{t+1}^\phi(x_t|x_{t+1})$ replaced by $p_\theta(x_t|y^t, x_{t+1})$.

3.4 Forward recursion for ELBO gradient w.r.t. ϕ

We finally establish forward-only recursions for the gradient of the ELBO w.r.t. ϕ which will allow us to perform online variational filtering. We consider here the case where, for all k , $q_k^\phi(x_k) = q_k^{\phi_k}(x_k)$ and $q_k^\phi(x_{k-1}|x_k) = q_k^{\phi_k}(x_{k-1}|x_k)$ so $\mathcal{L}_t(\theta, \phi) = \mathcal{L}_t(\theta, \phi_{1:t})$ and $V_t^{\theta,\phi}(x_t) = V_t^{\theta,\phi_{1:t}}(x_t)$. At time step t , we will optimize w.r.t. ϕ_t and hold all previous $\phi_{1:t-1}$ constant. Our overall variational posterior (5) is denoted $q_t^{\phi_{1:t}}(x_{1:t})$. The alternative approach where ϕ is shared through time (amortization) is investigated in Appendix D.

Since the expectation is taken w.r.t. $q_t^{\phi_{1:t}}(x_{1:t})$ in \mathcal{L}_t , optimizing ϕ_t is slightly more difficult than for θ . However, we can still derive a forward recursion for the ϕ gradients and we will leverage the reparameterization trick to reduce the variance of the gradient estimates; i.e. we assume that $x_t(\phi_t; \epsilon_t) \sim q_t^{\phi_t}(x_t)$ and $x_{t-1}(\phi_t; \epsilon_{t-1}, x_t) \sim q_t^{\phi_t}(x_{t-1}|x_t)$ when $\epsilon_{t-1} \sim \lambda(\epsilon)$, $\epsilon_t \sim \lambda(\epsilon)$.

Proposition 3. *The ELBO gradient $\nabla_{\phi_t} \mathcal{L}_t(\theta, \phi_{1:t})$ satisfies for $t \geq 1$*

$$\nabla_{\phi_t} \mathcal{L}_t(\theta, \phi_{1:t}) = \nabla_{\phi_t} \mathbb{E}_{q_t^{\phi_t}(x_t)}[V_t^{\theta,\phi_{1:t}}(x_t)] = \mathbb{E}_{\lambda(\epsilon_t)}[\nabla_{\phi_t} V_t^{\theta,\phi_{1:t}}(x_t(\phi_t; \epsilon_t))].$$

Additionally, one has

$$\begin{aligned} & \nabla_{\phi_{t+1}} V_{t+1}^{\theta, \phi_{1:t+1}}(x_{t+1}(\phi_{t+1}; \epsilon_{t+1})) \\ &= \mathbb{E}_{\lambda(\epsilon_t)} \left[T_t^{\theta, \phi_{1:t}}(x_t(\phi_{t+1}; \epsilon_t, x_{t+1}(\phi_{t+1}; \epsilon_{t+1}))) \frac{dx_t(\phi_{t+1}; \epsilon_t, x_{t+1}(\phi_{t+1}; \epsilon_{t+1}))}{d\phi_{t+1}} \right. \\ & \quad \left. + \nabla_{\phi_{t+1}} r_{t+1}^{\theta, \phi_{1:t+1}}(x_t(\phi_{t+1}; \epsilon_t, x_{t+1}(\phi_{t+1}; \epsilon_{t+1})), x_{t+1}(\phi_{t+1}; \epsilon_{t+1})) \right], \end{aligned}$$

where $T_t^{\theta, \phi_{1:t}}(x_t) := \frac{\partial}{\partial x_t} V_t^{\theta, \phi_{1:t}}(x_t)$ satisfies the forward recursion

$$\begin{aligned} T_{t+1}^{\theta, \phi_{1:t+1}}(x_{t+1}) &= \mathbb{E}_{\lambda(\epsilon_t)} \left[T_t^{\theta, \phi_{1:t}}(x_t(\phi_{t+1}; \epsilon_t, x_{t+1})) \frac{\partial x_t(\phi_{t+1}; \epsilon_t, x_{t+1})}{\partial x_{t+1}} \right. \\ & \quad \left. + \nabla_{x_{t+1}} r_{t+1}^{\theta, \phi_{1:t+1}}(x_t(\phi_{t+1}; \epsilon_t, x_{t+1}), x_{t+1}) \right]. \quad (10) \end{aligned}$$

Here, $\frac{dx_t(\phi_{t+1}; \epsilon_t, x_{t+1}(\phi_{t+1}; \epsilon_{t+1}))}{d\phi_{t+1}}$, $\frac{\partial x_t(\phi_{t+1}; \epsilon_t, x_{t+1})}{\partial x_{t+1}}$ are Jacobians of appropriate dimensions.

3.5 Estimating the ELBO and its Gradients

As we consider the case $q_k^\phi(x_k) = q_k^{\phi_k}(x_k)$, $q_k^\phi(x_{k-1}|x_k) = q_k^{\phi_k}(x_{k-1}|x_k)$, we have $S_t^{\theta, \phi}(x_t) = S_t^{\theta, \phi_{1:t}}(x_t)$. At time t we optimize ϕ_t and hold $\phi_{1:t-1}$ constant. Practically, we are not able to compute in closed-form the functions $V_t^{\theta, \phi_{1:t}}(x_t)$, $S_t^{\theta, \phi_{1:t}}(x_t)$ and $T_t^{\theta, \phi_{1:t}}(x_t)$ appearing in the forward recursions of $\mathcal{L}_t(\theta, \phi_{1:t})$, $\nabla_\theta \mathcal{L}_t(\theta, \phi_{1:t})$ and $\nabla_\phi \mathcal{L}_t(\theta, \phi_{1:t})$ respectively. However, we can exploit the above recursions to approximate these functions online using regression as is commonly done in RL. We then show how to use these gradients for online filtering and parameter learning.

We approximate $S_{t+1}^{\theta, \phi_{1:t+1}}$ with \hat{S}_{t+1} . Equation (9) shows that \hat{S}_{t+1} can be learned using \hat{S}_t through regression of the simulated dataset² $\{x_{t+1}^i, \hat{S}_t(x_t^i) + s_{t+1}^\theta(x_t^i, x_{t+1}^i)\}$ with $(x_t^i, x_{t+1}^i) \stackrel{\text{i.i.d.}}{\sim} q_{t+1}^{\phi_{1:t+1}}(x_t, x_{t+1})$ for $i = 1, \dots, N$ (see Appendix A.1 for derivation). We can use neural networks to model \hat{S}_t or Kernel Ridge Regression (KRR). Note that the use of KRR to estimate gradients for variational learning has recently been demonstrated by [26].

We similarly approximate $T_{t+1}^{\theta, \phi_{1:t+1}}$ with \hat{T}_{t+1} . As before, we can model \hat{T}_{t+1} using neural networks or KRR. We use recursion (10) and \hat{T}_t to create the following dataset for regression³

$$\left\{ x_{t+1}^i, \hat{T}_t(x_t(\phi_{t+1}; \epsilon_t^i, x_{t+1}^i)) \frac{\partial x_t(\phi_{t+1}; \epsilon_t^i, x_{t+1}^i)}{\partial x_{t+1}^i} + \nabla_{x_{t+1}^i} r_{t+1}^{\theta, \phi_{1:t+1}}(x_t(\phi_{t+1}; \epsilon_t^i, x_{t+1}^i), x_{t+1}^i) \right\},$$

where $x_{t+1}^i \sim q_{t+1}^{\phi_{1:t+1}}(x_{t+1})$ and $\epsilon_t^i \sim \lambda(\epsilon)$ for $i = 1, \dots, N$. The choice of the distribution over the inputs, x_{t+1}^i , for each simulated dataset is arbitrary but it will determine where the approximations are most accurate. We choose $q_{t+1}^{\phi_{1:t+1}}(x_{t+1})$ to best match where we expect the approximations to be evaluated, more details are given in Appendix A.1.

Note that if one is interested in computing online an approximation of the ELBO, we can again similarly approximate $V_t^{\theta, \phi_{1:t}}(x_t)$ using regression to obtain $\hat{V}_t(x_t)$ by leveraging (7). We will call the resulting approximate ELBO the Recursive ELBO (RELBO). We could also then differentiate $\hat{V}_t(x_t)$ w.r.t. x_t to obtain an alternative method for estimating $T_t^{\theta, \phi_{1:t}}$ and optimizing ϕ_t . However, as we are ultimately interested in accurate gradients, this approach does not exploit the readily available gradient information during the regression stage.

By approximating $T_{t+1}^{\theta, \phi_{1:t+1}}$ with \hat{T}_{t+1} and $S_{t+1}^{\theta, \phi_{1:t+1}}$ with \hat{S}_{t+1} , we introduce some bias into our gradient estimates. We can trade bias for variance by using modified recursions; e.g.

$$S_{t+1}^{\theta, \phi_{1:t+1}}(x_{t+1}) = \mathbb{E}_{q_t^{\phi_{1:t+1}}(x_{t-L+1:t}|x_{t+1})} \left[S_{t-L+1}^{\theta, \phi_{1:t-L+1}}(x_{t-L+1}) + \sum_{k=t-L+1}^t s_{k+1}^\theta(x_k, x_{k+1}) \right].$$

As L increases, we will reduce bias but increase variance. Such ideas are also commonly used in RL but we will limit ourselves here to using $L = 1$.

²We define $\hat{S}_0 := 0$, $x_0^i := \emptyset$, $s_1^\theta(x_0, x_1) = \nabla_\theta \log \mu_\theta(x_1) g_\theta(y_1|x_1)$ and $q_1^{\phi_1}(x_0, x_1) := q_1^{\phi_1}(x_1)$.

³Similarly, we define $\hat{T}_0 := 0$, $x_0^i := \emptyset$ and $r_1^{\theta, \phi_{0:1}}$ as in Proposition 1.

Algorithm 1: Online Variational Filtering and Parameter Learning.

```
for  $t = 1, \dots, T$  do
  Initialize  $\phi_t$  e.g.  $\phi_t \leftarrow \phi_{t-1}$ 
  /* Update  $\phi_t$  using  $M$  stochastic gradient steps */
  for  $m = 1, \dots, M$  do
    Sample  $x_{t-1}^i, x_t^i \sim q_t^{\phi_t}(x_{t-1}, x_t)$  using reparameterization trick for  $i = 1, \dots, N$ 
     $\phi_t \leftarrow \phi_t + \gamma_m \frac{1}{N} \sum_{i=1}^N \{ \hat{T}_{t-1}(x_{t-1}^i) \frac{dx_{t-1}^i}{d\phi_t} + \nabla_{\phi_t} r_t(x_{t-1}^i, x_t^i) \}$ 
  end
  /* Update  $\hat{T}_t(x_t)$  and  $\hat{S}_t(x_t)$  as in Section 3.5 */
   $\hat{T}_t(x_t) \stackrel{\text{regression}}{\leftarrow} \hat{T}_{t-1}(x_{t-1}) \frac{\partial x_{t-1}}{\partial x_t} + \nabla_{x_t} r_t(x_{t-1}, x_t)$ .
   $\hat{S}_t(x_t) \stackrel{\text{regression}}{\leftarrow} \hat{S}_{t-1}(x_{t-1}) + s_t^{\theta_{t-1}}(x_{t-1}, x_t)$ .
  /* Update  $\theta$  using a stochastic gradient step */
  Sample  $x_{t-1}^i, x_t^i \sim q_t^{\phi_t}(x_{t-1}, x_t)$ ,  $\tilde{x}_{t-1}^i \sim q_{t-1}^{\phi_{t-1}}(x_{t-1})$  for  $i = 1, \dots, N$ 
   $\theta_t \leftarrow \theta_{t-1} + \eta_t \frac{1}{N} \sum_{i=1}^N \{ \hat{S}_{t-1}(x_{t-1}^i) + s_t^{\theta_{t-1}}(x_{t-1}^i, x_t^i) - \hat{S}_{t-1}(\tilde{x}_{t-1}^i) \}$ 
end
```

3.6 Online Parameter Estimation

Assume, for the sake of argument, that one has access to the log evidence $\ell_t(\theta)$ and that the observations arise from the SSM with parameter θ^* . Under regularity conditions, the average log-likelihood $\ell_t(\theta)/t$ converges as $t \rightarrow \infty$ towards a function $\ell(\theta)$ which is maximized at θ^* ; see e.g. [12, 41]. We can maximize this criterion online using Recursive Maximum Likelihood Estimation (RMLE) [19, 24, 40, 41] which consists of updating the parameter estimate θ using

$$\theta_{t+1} = \theta_t + \eta_{t+1} \left(\mathbb{E}_{p_{\theta_{0:t}}(x_t, x_{t+1}|y^{t+1})} [S_t(x_t) + s_{t+1}^{\theta_t}(x_t, x_{t+1})] - \mathbb{E}_{p_{\theta_{0:t-1}}(x_t|y^t)} [S_t(x_t)] \right). \quad (11)$$

The difference of two expectations on the r.h.s. of (11) is an approximation of the gradient of the log-predictive $\log p_{\theta}(y_{t+1}|y^t)$ evaluated at θ_t . The approximation is given by $\nabla \log p_{\theta_{0:t}}(y^{t+1}) - \nabla \log p_{\theta_{0:t-1}}(y^t)$ with the notation $\nabla \log p_{\theta_{0:t}}(y^{t+1})$ corresponding to the expectation of the sum of terms $s_{k+1}^{\theta_k}(x_k, x_{k+1})$ w.r.t. the joint posterior states distribution defined by using the SSM with parameter θ_k at time $k+1$.

We proceed similarly in the variational context and update the parameter using

$$\theta_{t+1} = \theta_t + \eta_{t+1} \left(\mathbb{E}_{q_{t+1}^{\phi_{t+1}}(x_t, x_{t+1})} [\hat{S}_t(x_t) + s_{t+1}^{\theta_t}(x_t, x_{t+1})] - \mathbb{E}_{q_t^{\phi_t}(x_t)} [\hat{S}_t(x_t)] \right).$$

Here $\hat{S}_t(x_t)$ approximates $S_t(x_t)$ satisfying $S_{t+1}(x_{t+1}) := \mathbb{E}_{q_{t+1}^{\phi_{t+1}}(x_t|x_{t+1})} [S_t(x_t) + s_{t+1}^{\theta_t}(x_t, x_{t+1})]$.

We compute \hat{S}_t as in Section 3.5 with a simulated dataset using \hat{S}_{t-1} and θ_{t-1} .

Putting everything together, we summarize our method in Algorithm 1 using a simplified notation to help build intuition, a full description is given in Appendix A.2. It is initialized using initial parameters ϕ_1, θ_0 . We re-iterate the algorithm's computational cost does not grow with t . We need only store fixed size \hat{T} and \hat{S} models as well as the most recent ϕ_t and θ_t parameters. When performing backpropagation, \hat{T} and \hat{S} summarize all previous gradients, meaning we do not have to roll all the way back to $t = 1$. Therefore, we only incur standard backpropagation computational cost w.r.t. ϕ_t and θ . To scale to large d_x , we can use mean field $q_t^{\phi_t}(x_t), q_t^{\phi_t}(x_{t-1}|x_t)$ keeping costs linear in d_x .

4 Related Work

As mentioned briefly in Section 3.2, our recursive method has close links with RL, which we make explicit here. In 'standard' RL, we have a value function and corresponding Bellman recursion given by

$$V_t^{\text{RL}}(s_t) := \mathbb{E} \left[\sum_{k=t}^T r(s_k, a_k) \right], \quad V_t^{\text{RL}}(s_t) = \mathbb{E}_{s_{t+1}, a_t} [r(s_t, a_t) + V_{t+1}^{\text{RL}}(s_{t+1})], \quad (12)$$

where (s_t, a_t) is the state-action pair at time t . Whereas the RL value function summarizes future rewards and so recurses backward in time, our ‘value’ function summarizes previous rewards and recurses forward in time. Writing this using the state-action notation, one obtains

$$V_t(s_t) := \mathbb{E} \left[\sum_{k=1}^t r(s_k, a_k) \right], \quad V_{t+1}(s_{t+1}) = \mathbb{E}_{a_{t+1}, s_t} [r(s_{t+1}, a_{t+1}) + V_t(s_t)]. \quad (13)$$

Note we have defined an *anti-causal* graphical model, with s_t depending on s_{t+1} and a_{t+1} . If we further let $s_t = x_t$, $a_t = x_{t-1} \sim q_t^\phi(x_{t-1}|x_t)$, $P(s_t|s_{t+1}, a_{t+1}) = \delta(s_t = a_{t+1})$ and $r(s_t, a_t) = r(x_t, x_{t-1})$ as in equation (8), then the recursion in equation (13) for V_t corresponds to the recursion in equation (7) and $\mathcal{L}_T = \mathbb{E}_{q_T^\phi(x_T)} [V_T(x_T)]$. We then differentiate this recursion with respect to θ and x_{t+1} to get our gradient recursions (9) and (10) respectively. Full details are given in Appendix A.3. A similar correspondence between state actions and successive hidden states was also noted in [43] which explores the use of RL ideas in the context of variational inference. However, [43] exploits this correspondence to propose a backward in time recursion for the ELBO of the form (12) initialized at the time of the last observation of the SSM. When a new observation is collected at the next time step, this backward recursion has to be re-run which would lead to a computational time increasing linearly at each time step. In [20], the links between RL and variational inference are also exploited. The likelihood of future points in an SSM is approximated using temporal difference learning [39], but the proposed algorithm is not online.

To perform online variational inference, [45] proposes to use the decomposition (2) of the log evidence $\ell_t(\theta)$ and lower bound each term $\log p_\theta(y_k|y^{k-1})$ appearing in the sum using

$$\mathbb{E}_{q_k^\phi(x_{k-1}, x_k)} \left[\log \frac{f_\theta(x_k|x_{k-1})g_\theta(y_k|x_k)p_\theta(x_{k-1}|y^{k-1})}{q_k^\phi(x_{k-1}, x_k)} \right] \leq \log p_\theta(y_k|y^{k-1}). \quad (14)$$

Unfortunately, the term on the l.h.s. of (14) cannot be evaluated unbiasedly as it relies on the intractable filter $p_\theta(x_{k-1}|y^{k-1})$ so [45] approximates it by $p_\theta(x_{k-1}|y^{k-1}) \approx q_{k-1}^\phi(x_{k-1})$ to obtain the following *Approximate* ELBO (AELBO) by summing over k :

$$\tilde{\mathcal{L}}_t(\theta, \phi_{1:t}) = \sum_{k=1}^t \mathbb{E}_{q_k^\phi(x_{k-1}, x_k)} \left[\log r_k^{\theta, \phi}(x_{k-1}, x_k) \right]. \quad (15)$$

Additionally, [45] makes the assumption $q_k^\phi(x_{k-1}, x_k) = q_{k-1}^\phi(x_{k-1})q_k^\phi(x_k)$ and we will refer to (15) in this case as AELBO-1. While [16] does not consider online learning, their objective is actually a generalization of [45], with $q_k^\phi(x_{k-1}, x_k) = q_k^\phi(x_k)q_k^\phi(x_{k-1}|x_k)$, and we will refer to (15) in this case as AELBO-2. It can be easily shown that AELBO-2 is only equal to the true ELBO given in Proposition 1 in the (unrealistic) scenario where $q_k^\phi(x_k) = p_\theta(x_k|y^k)$ for all k . Moreover, in both cases the term $p_\theta(x_{k-1}|y^{k-1})$ is replaced by $q_{k-1}^\phi(x_{k-1})$, causing a term involving θ to be ignored in gradient computation. The approach developed here can be thought of as a way to correct the approximate ELBOs computed in [16, 45] in a principled manner, which takes into account the discrepancy between the filtering and approximate filtering distributions, and maintains the correct gradient dependencies in the computation graph. Finally [44] relies on the PF to do online variational inference. However the variational approximation of the filtering distribution is only implicit as its expression includes an intractable expectation and, like any other PF technique, its performance is expected to degrade significantly with the state dimension [6].

5 Experiments

5.1 Linear Gaussian State-Space Models

We first consider a linear Gaussian SSM for which the filtering distributions can be computed using the KF and the RMLE recursion (11) can be implemented exactly. Here the model is defined as

$$f_\theta(x_t|x_{t-1}) = \mathcal{N}(x_t; Fx_{t-1}, U), \quad g_\theta(y_t|x_t) = \mathcal{N}(y_t; Gx_t, V),$$

where $F \in \mathbb{R}^{d_x \times d_x}$, $G \in \mathbb{R}^{d_y \times d_x}$, $U \in \mathbb{R}^{d_x \times d_x}$, $V \in \mathbb{R}^{d_y \times d_y}$, $\theta = \{F, G\}$. We let

$$q_t^{\phi_t}(x_t) = \mathcal{N}(x_t; \mu_t, \text{diag}(\sigma_t^2)), \quad q_t^{\phi_t}(x_{t-1}|x_t) = \mathcal{N}(x_{t-1}; W_t x_t + b_t, \text{diag}(\tilde{\sigma}_t^2)),$$




Figure 1: **(a)** $\text{KL}(q_t^{\phi_t}(x_{t-1}, x_t) || p_\theta(x_{t-1}, x_t | y^t))$ vs time step of the SSM. Between each time step, we plot the progress of the KL over 5000 iterations of inner loop ϕ_t optimization. **(b)** Mean Absolute Error for model parameters F (left) and G (right) vs time step (AELBO-1 off the scale).

with $\phi_t = \{\mu_t, \log \sigma_t, W_t, b_t, \log \tilde{\sigma}_t\}$. When $f_\theta(x_t | x_{t-1})$ is linear Gaussian and we use a Gaussian for $q_{t-1}^{\phi_{t-1}}(x_{t-1})$, we can select $q_t^{\phi_t}(x_{t-1} | x_t) \propto f_\theta(x_t | x_{t-1}) q_{t-1}^{\phi_{t-1}}(x_{t-1})$ as noted in [34]. In this experiment however, we aim to show our full method can converge to known ground truth values hence still fully parameterize $q_t^{\phi_t}(x_{t-1} | x_t)$ as well as setting the matrices F, G, U, V to be diagonal, so that $p_\theta(x_t | y^t)$ and $p_\theta(x_{t-1} | y^{t-1}, x_t)$ are in the variational family.

For $d_x = d_y = 10$, we first demonstrate accurate state inference by learning ϕ_t at each time step whilst holding θ fixed at the true value. We represent $\hat{T}_t(x_t)$ non-parametrically using KRR. Full details for all experiments are given in Appendix B.⁴ Figure 1a illustrates how, given extra computation, our variational approximation comes closer and closer to the ground truth, the accuracy being limited by the convergence of each inner stochastic gradient ascent procedure. We then consider online learning of the parameters F and G using Algorithm 1, comparing our result to RMLE and a variation of Algorithm 1 using AELBO-1 and 2 (see Section 4). Our methodology converges much closer to the analytic baseline (RMLE) than AELBO-2 [16] and exhibits less variance, even though the variational family is sufficiently expressive for AELBO-2 to learn the correct backward transition. In addition, we find that AELBO-1 [45] did not produce reliable parameter estimates in this example, as it relies on a variational approximation that ignores the dependence between x_{k-1} and x_k . As expected, our method performs slightly worse than the analytic RMLE, as inevitably small errors will be introduced during stochastic optimization and regression.

5.2 Chaotic Recurrent Neural Network

We next evaluate the performance of our algorithm for state estimation in non-linear, high-dimensional SSMs. We reproduce the Chaotic Recurrent Neural Network (CRNN) example in [44], but with state dimension $d_x = 5, 20$, and 100. This non-linear model is an Euler approximation of the continuous-time recurrent neural network dynamics

$$f(x_t | x_{t-1}) = \mathcal{N}(x_t; x_{t-1} + \Delta\tau^{-1}(-x_{t-1} + \gamma W \tanh(x_{t-1})), U),$$

and the observation model is linear with additive noise from a Student’s t-distribution. We compare our algorithm against ensemble KF (EnKF), bootstrap PF (BPF), as well as variational methods using AELBO-1 and AELBO-2. We let $q_t^{\phi_t}(x_{t-1} | x_t) = \mathcal{N}(x_{t-1}; \text{MLP}_t^{\phi_t}(x_t), \text{diag}(\tilde{\sigma}_t^2))$ and $q_t^{\phi_t}(x_t) = \mathcal{N}(x_t; \mu_t, \text{diag}(\sigma_t^2))$ where we use a 1-layer Multi-Layer Perceptron (MLP) with 100 neurons for each $q_t^{\phi_t}(x_{t-1} | x_t)$. We generate a dataset of length 100 using the same settings as [44], and each algorithm is run 10 times to report the mean and standard deviation. We also match approximately the computational complexity for all methods. From Table 1, we observe that the EnKF performs poorly on this non-linear model, while the PF performance degrades significantly with d_x , as expected. Among variational methods, AELBO-1 does not give as accurate state estimation, while AELBO-2 and our method achieve the lowest error in terms of RMSE. However, our method achieves the highest ELBO; i.e. lowest KL between the variational approximation and the true posterior since

⁴Code available at https://github.com/andrew-cr/online_var_fil

θ is fixed - an effect not represented using just the RMSE. We confirm this is the case in Appendix B.2 by comparing our variational filter means μ_t against the ‘ground truth’ posterior mean for $d_x = 5$ computed using PF with 10 million particles. Furthermore, our method is also able to accurately estimate the true ELBO online. Figure 2a shows that our online estimate of the ELBO, RELBO (Section 3.5), is very close to the true ELBO, whereas AELBO-2 is biased and consistently overestimates it. Further, AELBO-1 is extremely loose meaning its approximation of the joint state posterior is very poor.

Using this CRNN problem, we also investigate the penalty we pay for our online method. At time t , we train $q_t^{\phi_t}(x_t)$, $q_t^{\phi_t}(x_{t-1}|x_t)$ and hold $q_k^{\phi_k}(x_{k-1}|x_k)$, $k < t$ fixed. This is because all information to learn the true factor $p_\theta(x_{k-1}|y^{k-1}, x_k)$ is available at time k as it does not depend on future observations. However, when $p_\theta(x_{k-1}|y^{k-1}, x_k)$ is not in the variational family (as in this CRNN example), $q_k^{\phi_k}(x_{k-1}|x_k)$ will aim to be most accurate in the regions of x_k in which it is typically evaluated. The evaluation distribution over x_k does depend on future variational factors and so could shift over time. This may result in learning a different variational joint $q_t^{\phi_{1:t}}(x_{1:t})$ between when using our online ELBO and when just using the full offline ELBO (3). We quantify this difference by training the same joint variational distribution using either our online ELBO or the offline ELBO (3). Figure 2b plots the final mean and standard deviations of the marginals of the trained $q_t^{\phi_{1:t}}(x_{1:t})$ in both cases. We see that these quantities are very close, suggesting this effect is not an issue on this example. This may be due to the evaluation distribution over x_k not changing a significant enough amount to cause appreciable changes in the learned variational factors. We show this result holds over dimensions and seeds in Appendix B.2.




Figure 2: **(a)** Estimates and true values of the ELBO on the Chaotic RNN task. RELBO uses KRR for \hat{V}_t whilst for the other methods we use eq. (15). **(b)** Comparison between joint variational distributions trained online and offline on the CRNN task. The colored lines show the mean of $q_t^{\phi_{1:t}}(x_{1:t})$ whilst the shaded region represent ± 1 std. The true hidden state is also shown in black.

5.3 Sequential Variational Auto-Encoder

We demonstrate the scalability of our method on a sequential VAE application. In this problem, an agent observes a long sequence of frames that could, for example, come from a robot traversing a new environment. The frames are encoded into a latent representation using a pre-trained decoder. The agent must then learn online the transition dynamics within this latent space using the single stream of input images. The SSM is defined by

$$f_\theta(x_t|x_{t-1}) = \mathcal{N}(x_t; \text{NN}_\theta^f(x_{t-1}), U), \quad g(y_t|x_t) = \mathcal{N}(y_t; \text{NN}^g(x_t), V),$$

where $d_x = 32$, NN_θ^f is a residual MLP and NN^g a convolutional neural network. NN_θ^f is learned online whilst NN^g is fixed and is pre-trained on unordered images from similar environments using the standard VAE objective [21]. We perform this experiment on a video sequence from a DeepMind Lab environment [5] (GNU GPL license). We use the same $q_t^{\phi_t}$ parameterization as for the CRNN but with a 2 hidden layer MLP with 64 neurons. KRR is used to learn \hat{T}_t whereas we use an MLP for learning \hat{S}_t . We found that MLPs scale better than KRR as d_θ is high. Our online algorithm is run on a sequence of 4000 images after which we probe the quality of the learned NN_θ^f . The results are

Table 1: Root Mean Squared Error between filtering mean and true state and the average true ELBO for the 5 methods in varying dimensions on the Chaotic RNN task.

d_x		EnKF	BPF	AELBO-1	AELBO-2	Ours
5	Filter RMSE	0.1450±0.0026	0.1026±0.0001	0.1284±0.0035	0.1035±0.0012	0.1032±0.0005
	ELBO (nats)	-	-	-220.52±6.2768	-30.944±2.2928	-15.845±1.7385
	Time per step	1.0998	0.9268	1.5067	2.2270	2.6899
20	Filter RMSE	0.1541±0.0016	0.1092±0.0014	0.1355±0.0012	0.1086±0.0004	0.1082±0.0003
	ELBO (nats)	-	-	-928.80±10.463	-393.68±3.9053	-340.36±3.9730
	Time per step	5.1879	3.8932	2.3587	2.7000	3.5935
100	Filter RMSE	0.1571±0.0017	0.2493±0.0122	0.1239±0.0006	0.1070±0.0001	0.1068±0.0001
	ELBO (nats)	-	-	-4247.9±20.905	-2069.7±11.814	-1794.7±5.4173
	Time per step	6.4546	4.6184	3.2697	4.5539	5.9263




Figure 3: Frames predicted by rolling out NN_θ^f from two different starting points, before and after training. Between each frame, 3 transition steps are taken. Before training, no meaningful change is predicted but after training NN_θ^f predicts plausible movements.

shown in Figure 3. Before training, NN_θ^f predicts no meaningful change but after training it predicts movements the agent could realistically take. We quantify this further in Appendix B.3 by showing that the approximate average log likelihood $\ell_t(\theta)/t$ computed using Monte Carlo increases through training, thereby confirming our method can successfully learn high-dimensional model parameters of the agent movement in a fully online fashion.

6 Discussion

We have presented a novel online approach for variational state estimation and parameter learning. In our experiments, this methodology outperforms standard filtering approaches for high dimensional SSMs and is also able to learn online high dimensional model parameters of a neural network in a sequential VAE. However, it is not without its limitations. As with any stochastic variational inference technique, we can only obtain an accurate posterior approximation if the variational family is expressive enough and our stochastic gradient method finds a reasonable minimum. We also need to use flexible function approximators to keep the bias in our gradient estimates small. Finally, although our method is online, it can be quite computationally expensive in absolute terms as it requires solving an optimization problem and solving a regression task for each time step.

To reduce this computational cost, one can amortize the optimization cost for ϕ by learning a network taking a representation of observations up to now, y^t , and outputting q_t^ϕ as illustrated in Appendix D. Further work will investigate ways to also amortize the cost of function regression across time through a meta-learning strategy. From a theoretical point of view, it would be useful to establish conditions under which the proposed variational filter is exponentially stable and to study the asymptotic properties of the parameter learning procedure.

Acknowledgments and Disclosure of Funding

The authors are grateful to Adrien Corenflos, Desi Ivanova and James Thornton for their comments. Andrew Campbell acknowledges support from the EPSRC CDT in Modern Statistics and Statistical Machine Learning (EP/S023151/1). Arnaud Doucet is partly supported by the EPSRC grant EP/R034710/1. He also acknowledges support of the UK Defence Science and Technology Laboratory (DSTL) and EPSRC under grant EP/R013616/1. This is part of the collaboration between US DOD, UK MOD and UK EPSRC under the Multidisciplinary University Research Initiative.

References

- [1] Andrychowicz, M., Denil, M., Gómez, S., Hoffman, M. W., Pfau, D., Schaul, T., Shillingford, B., and de Freitas, N. (2016). Learning to learn by gradient descent. In *Advances in Neural Information Processing Systems*.
- [2] Archer, E., Park, I. M., Buesing, L., Cunningham, J., and Paninski, L. (2016). Black box variational inference for state space models. In *International Conference on Learning Representations Workshop Track*.
- [3] Azimi-Sadjadi, B. and Krishnaprasad, P. (2005). Approximate nonlinear filtering and its application in navigation. *Automatica*, 41(6):945–956.
- [4] Beard, M., Vo, B. T., and Vo, B.-N. (2020). A solution for large-scale multi-object tracking. *IEEE Transactions on Signal Processing*, 68:2754–2769.
- [5] Beattie, C., Leibo, J. Z., Teplyashin, D., Ward, T., Wainwright, M., Küttler, H., Lefrancq, A., Green, S., Valdés, V., Sadik, A., et al. (2016). DeepMind lab. *arXiv preprint arXiv:1612.03801*.
- [6] Bengtsson, T., Bickel, P., Li, B., et al. (2008). Curse-of-dimensionality revisited: Collapse of the particle filter in very large scale systems. In *Probability and Statistics: Essays in Honor of David A. Freedman*, pages 316–334. Institute of Mathematical Statistics.
- [7] Brigo, D., Hanzon, B., and LeGland, F. (1998). A differential geometric approach to nonlinear filtering: the projection filter. *IEEE Transactions on Automatic Control*, 43(2):247–252.
- [8] Chung, J., Kastner, K., Dinh, L., Goel, K., Courville, A., and Bengio, Y. (2015). A recurrent latent variable model for sequential data. In *Advances in Neural Information Processing Systems*.
- [9] Corenflos, A., Thornton, J., Deligiannidis, G., and Doucet, A. (2021). Differentiable particle filtering via entropy-regularized optimal transport. In *International Conference on Machine Learning*.
- [10] Courts, J., Hendriks, J., Wills, A., Schön, T. B., and Ninness, B. (2021). Variational state and parameter estimation. In *IFAC Symposium on System Identification*.
- [11] Del Moral, P. (2004). *Feynman-Kac Formulae: Genealogical and Interacting Particle Systems with Applications*. Springer.
- [12] Douc, R., Moulines, E., and Stoffer, D. (2014). *Nonlinear Time Series: Theory, Methods and Applications with R Examples*. CRC Press.
- [13] Evensen, G. (2009). *Data Assimilation: The Ensemble Kalman Filter*. Springer Science & Business Media.
- [14] Fellows, M., Mahajan, A., Rudner, T. G., and Whiteson, S. (2019). VIREL: A variational inference framework for reinforcement learning. In *Advances in Neural Information Processing Systems*.
- [15] Fraccaro, M., Sønderby, S. K., Paquet, U., and Winther, O. (2016). Sequential neural models with stochastic layers. In *Advances in Neural Information Processing Systems*.
- [16] Gregor, K., Papamakarios, G., Besse, F., Buesing, L., and Weber, T. (2019). Temporal difference variational auto-encoder. In *International Conference on Learning Representations*.

- [17] Ito, K. and Xiong, K. (2000). Gaussian filters for nonlinear filtering problems. *IEEE Transactions on Automatic Control*, 45(5):910–927.
- [18] Jonschkowski, R., Rastogi, D., and Brock, O. (2018). Differentiable particle filters: End-to-end learning with algorithmic priors. In *Robotics: Science and Systems*.
- [19] Kantas, N., Doucet, A., Singh, S. S., Maciejowski, J., and Chopin, N. (2015). On particle methods for parameter estimation in state-space models. *Statistical Science*, 30(3):328–351.
- [20] Kim, G.-H., Jang, Y., Yang, H., and Kim, K.-E. (2020). Variational inference for sequential data with future likelihood estimates. In *International Conference on Machine Learning*.
- [21] Kingma, D. and Welling, M. (2014). Auto-encoding variational Bayes. In *International Conference on Learning Representations*.
- [22] Krishnan, R. G., Shalit, U., and Sontag, D. (2017). Structured inference networks for nonlinear state space models. In *AAAI Conference on Artificial Intelligence*.
- [23] Le, T. A., Igl, M., Rainforth, T., Jin, T., and Wood, F. (2018). Auto-encoding sequential Monte Carlo. In *International Conference on Learning Representations*.
- [24] LeGland, F. and Mevel, L. (1997). Recursive estimation in hidden Markov models. In *Proceedings of the 36th IEEE Conference on Decision and Control*, volume 4, pages 3468–3473.
- [25] Levine, S. (2018). Reinforcement learning and control as probabilistic inference: Tutorial and review. *arXiv preprint arXiv:1805.00909*.
- [26] Li, K. W., Moskovitz, T., Kanagawa, H., and Sahani, M. (2020). Amortised learning by wake-sleep. In *International Conference on Machine Learning*.
- [27] Li, Y. and Mandt, S. (2018). Disentangled sequential autoencoder. In *International Conference on Machine Learning*.
- [28] Ma, X., Karkus, P., Hsu, D., Lee, W. S., and Ye, N. (2020). Discriminative particle filter reinforcement learning for complex partial observations. In *International Conference on Learning Representations*.
- [29] Maddison, C. J., Lawson, J., Tucker, G., Heess, N., Norouzi, M., Mnih, A., Doucet, A., and Teh, Y. W. (2017). Filtering variational objectives. In *Advances in Neural Information Processing Systems*.
- [30] Marino, J., Cvitkovic, M., and Yue, Y. (2018). A general method for amortizing variational filtering. In *Advances in Neural Information Processing Systems*.
- [31] Marschall, O., Cho, K., and Savin, C. (2020). A unified framework of online learning algorithms for training recurrent neural networks. *Journal of Machine Learning Research*, 21:1–34.
- [32] Minka, T. P. (2001). Expectation propagation for approximate Bayesian inference. In *Uncertainty in Artificial Intelligence*.
- [33] Naesseth, C. A., Linderman, S. W., Ranganath, R., and Blei, D. M. (2018). Variational sequential Monte Carlo. In *International Conference on Artificial Intelligence and Statistics*.
- [34] Pfommer, D. and Matni, N. (2022). Linear variational state space filtering. *arXiv preprint arXiv:2201.01353*.
- [35] Richter, J., Carbajal, G., and Gerkmann, T. (2020). Speech enhancement with stochastic temporal convolutional networks. In *Interspeech*.
- [36] Ryder, T., Prangle, D., Golightly, A., and Matthews, I. (2021). The neural moving average model for scalable variational inference of state space models. In *Uncertainty in Artificial Intelligence*.
- [37] Särkkä, S. (2013). *Bayesian Filtering and Smoothing*. Cambridge University Press.
- [38] Šmídl, V. and Quinn, A. (2008). Variational Bayesian filtering. *IEEE Transactions on Signal Processing*, 56(10):5020–5030.

- [39] Sutton, R. S. and Barto, A. G. (2018). *Reinforcement Learning: An Introduction*. MIT press.
- [40] Tadić, V. B. (2010). Analyticity, convergence, and convergence rate of recursive maximum-likelihood estimation in hidden Markov models. *IEEE Transactions on Information Theory*, 56(12):6406–6432.
- [41] Tadić, V. B. and Doucet, A. (2021). Asymptotic properties of recursive particle maximum likelihood estimation. *IEEE Transactions on Information Theory*, 67(3):1825–1848.
- [42] Tsay, R. S. (2005). *Analysis of Financial Time Series*, volume 543. John Wiley & Sons.
- [43] Weber, T., Heess, N., Eslami, A., Schulman, J., Wingate, D., and Silver, D. (2015). Reinforced variational inference. In *Advances in Neural Information Processing Systems Workshop*.
- [44] Zhao, Y., Nassar, J., Jordan, I., Bugallo, M., and Park, I. M. (2019). Streaming variational Monte Carlo. *arXiv preprint arXiv:1906.01549*.
- [45] Zhao, Y. and Park, I. M. (2020). Variational online learning of neural dynamics. *Frontiers in Computational Neuroscience*, 14.